11-5-1962. set C/M from wood stake (1)
10-2-1979 — reset C.M. at C.H. dept Locations found.
5/28/92 Set 10" C.I.M. over broken C.I.M
section corner east 12-13 Olney 107-11
and County line
#700705

No records.

Co Hwy Dept found stake set C/M

Dec	fence post	N.E.	56.87
"	" "	S.E.	59.1
"	" "	S.W.	57.57
"	power pole	N.	49.03

Gone 1994

Meas west 5269.9 To Sec Cor stone

Cover 1933.

1933 Co HD B73 P5. found 2" iron pipe.
Sta 158 + 37.5 a PI
meas west 5268.8 - Sta fence N&S at ½ 12-13 /32+02
meas west - 2635.5

RP fence post NE 35.8 (Stoic 1974
" " SE 39.1

Gov't Notes: 1853
N. 80.00 chains - set post in mound with Pits & Trench
& deposited charred Stake & Oak acorns.

10-2-74
Found cut [illegible] (Corner) accepted as [illegible] referenced
Location & reset a 2" IM over ⅝ x 18" rod
c.s. Disc west side of E Gate .35 E 49.04
c.s. Disc SW side of west gate post NW 66.58
c.s. Disc E side Car port South 50.75
Top center gate bar (4" g) SE 73.8
Center E-W road + 1' E to North + 2' E to South

Burns set pipe (found stake) in 1923

SECTION CORNER E 12, 13 Quincy 107-11 (2)
W 7, 18 Winona Co. 107-10
#700705

5/28/92 Fd CIM Broken, must have regraded road. Set 10" CIM over lower PC of CIM Flush with surface of Winona Co Rd #39 & Olmsted Co. Rd. #2

RA's
CSD in gate post N.W. 62.48'
CSD in P.P. north 49.51'
CSD in E. side C.P. So. 50.91'