X Oct. 3, 1974 Found Stone & Stake hole (Stone only 6"x6"x14" not 6"x12"x14") (1)
Set CIM over 2" pipe - pipe driven in stake hole #703005 Winona
section corner - east 25-36 Quincy 10T-1E County
10-1896 H Fraser P595 no 541 & 23-4-5-6 5 parties
see S W 23.
"Y" corner gone, Mr S Fay & Mr J Small owned stake leg in line fence north & south. Run Twsp line E 1/4 25 to Twsp corner. corner came center road and lined with fences. Meas 19.98 1/3 per 80 rods - ran & meas line Twsp on to E 1/4 25 set stone 6 x 12 x 14 with stake driven by side on line & 1/3 meas.
1/16 north 4 drove stake 19.98 1/3 M & L. 1318.9.
1/16 west 5 set stone & stake 19.94 1/2 M & L. 1316.37.
"O"
Meas south 79.93 1/3 to Twsp cor 5275.71'
(over)

GoV'T Notes: 1853

N. 80.00 chains – Set Post in mound with Pits & Trench & deposited charred Stake & Hawthorn seeds

10-3-1974 Co Surv.

Dug - Found a 1½" pipe 18" deep. Dug Around - Found a stone 5"x6"x12" Laying down. Dug Around Stone + Found a very definite stake hole. Drove a 1½" pipe in the Stake hole & placed the Stone on the S. side & placed C.I.M. over All.

R.P.'s

C.S disc in N.E. side R.P. S.E. 32.2

C.S. disc in E. side cor post S. 24.34

4/4 d. in E. side Ash tree S. 141.2'

Cor. lies 2' E. of Fa running South + in the ℄ C.R. # 152.

July 1923 E.C. Burns Set Pipe inplace of Stone, witness Pipes N & S

SECTION CORNER EAST 25-36 QUINCY 107-11 (2)
WEST 30-31 107-10 #703005

6 27 94 - CO. SURVEYOR FOUND CIM IN GOOD CONDITION.