1 ~~4-13-77~~ CIC

#710305 #1

section corner 3-4-9-10 Quincy 10-7-11.
NE¼ only Frank Amos.

10-1893 H Fraser P 538 no 499 S 9 John Fender
late found wrong reset P 694 this wrong Corner was 46 lks S. + 6 lks East of true
found mound and pits plain (no mound of record in govt notes)
planted stone in center of mound. (note survey P 695 doesn't
1/16 west - set stake M & L 20.31¼ seem to fit. also ¼
1/16 south - set stake M & L 19.82½ (1308.45 south mentioned.
1/16 center NE¼ 9 set stake true intersections no meas.

See Field Bk 9 P 68-77 & P. 81-82 9 parties

10 & 11-1900 Wm Fraser P 692-8 no 615 S 2-3-10-11 see NE 2.
(P 694 as 9"-6"- found remains old govt stake set stone 8x8x24 pounded
new BT 8" burr oak S 50° W 6 links 4 stumps at 3 B.Ts
8" Burr Oak N 10° W 76 links ← Could be 96 lks both trees suckers from orig BTs.
found corner set P 538 which didn't measure right from south (over)

Page 46 Book 9

so looked for B.T. and found SW BT only 5 links then easily found old stake thru all of P 538 survey as to this corner wrong. likely removed corner P 538.

1/16 North 19.82 - 19.82

1/16 south - drone stake M & L 19.92 (note diff P 538) 1314.72.

1/16 east - drone red cedar stake M & L 19.81½ (1307.8)

Meas south to 1/4 21-22 39.87 - 2629.44 5 times

7-10-1933 Co H D B 73 P 73 found red cedar stake in mound of rock. - meas S to stone 4x4x18 2631.4 R 2629.4

(4x5x20 by WCF 1920)

GOV. NOTES 1853 - Wm A. JONES

SET SECTION CORNER POST 80 chs NORTH OF 9-10-15-16

6" burr oak		N 10 W	95 LKS	62.7
6" "	"	N 15 E	124 LKS	81.8
8" "	"	S 7½ E	81 chs	53.5
8" "	"	S 45 W	5 LKS	3.3

12 paces North and West, From boundary W1-S. CORNER IN RIDGE SLOPING sharply both E & W to RAVINES JOINING Further West.

#710305

Section Corner 3-4-9-10 Quincy 107-11

9-77 Found a circle of stones on the North side of the base of the old corner post (post lying down). Dug out stone to search for W.F.'s 8"x8"x24" stone but found nothing further; however, one of the stones there was 8"x8"x16" and is possibly W.F.'s but dug out and broken. A rotted stump stand 4' SW of the base of the corner post and could possibly be W.F.'s Brg tree placing the corner at the post.

10-3-77 Set a CIC/ρ^2 on the corner on line

from SE 3 over the 5 1/4 3 and at double the measure. The corner came @ the location of the old post. Set a p² (up 3') on the N side of the monument. Corner 37' N of rough fence E

RP's: Sp & CSD E side blazed 11" Black Oak N2°W 31.43

Sp & CSD S. side blazed 9" Burr Oak N86 W 34.75

Sp & CSD E side 12" Burr Oak S14 W 25.40

Sp in W side 14" Burr Oak used as C.P. to fences E and So S 38.69 → approx

{ calc. error at 1/4 Cor 3-10, moved the corner 2.11 W and 3.39 So of first calc. location of 9-15-77 }