X 11-1963 set C/M Co H. Dept #710805 (1)

9-24-1974 - found stone - East c.m. 1.45 E. 0.24' North C.M.D. 0.5 m.

section corner 7-8-17-18 Quincy 107-11.

11-1891 Thos Fraser P459 no 443 L17 Geo Smith.
found stone set by Hunter when all B trees were
in place etc..
Mens east 39.79 l/g. To 1/4 cor stone

11-1892 Thos Fraser P500 no 477 L18 H Davidson.
corner verified but not used. J Harney.
Pervee.

6-1877 Hunter P347 no 311 Sec 7. G W Smith.
found stone planted in road Both witness trees standing
Mr G W Smith swears under oath stone set exactly where orig
stake was standing when he set stone. over County

10-1962. Co Hwy Dept. 2 x 2 hub & nail.
latest tie 1965 B 226.
Hub ℄ 48.73 front of top steel FP orang top S 48.88
" ℄ SW 56.97 " SW 58.13
" ℄ SE 61.16 " SE 60.74

Co HD B 226 P 15 set C I M m" 1963
Meas west 2631.57 R 2636. P 313.
Meas east 2636.05' R 2626.8 P 459
Note this corner assumed; 1/4 corners east & west are stones found. use discretion as to this corner.

1933 Co HD B 73 P 39. stone mon. Sta 175+57.3
Δ PI 0° 13' right - Hub N 63.5 - Hub NW 62.1.
Meas west 2631.84.

#710805 (7)

Sec. Cor. 7-8-17-18 107-11 Quincy Twp.

9-24-1974 Co. Surv.

Dug 8' deep in C R #2 + found the recorded stone 1.45 E + 0.4' North of the C.I.M. set by C H. Dept. Placed iron around the stone + pieces of blacktop. Set a 1/2" rod under the C.I.M. Corner lies in the ℄ C R #2 with No. fences running North or South

R.P.'s

C.S. disc N.E. side P.P. # 33254 (up. 6')	N.W.	135.5'
C.S. disc. S. side of P.P. # 33255 (up 6')	N.E.	185.5'
Orange painted steel post (top N. edge)	S.	49.15

SECTION CORNER 7-8-17-18 QUINCY 107-11 (3)

GOV NOTES - 1853 Wm A JONES #710805

SET SECTION CORNER POST 80 chs NORTH of 17-18-19-20
8" burr oak N 86 E 545 LKS 359 7
12" burr oak S 90 E 716 LKS 472 6
STREAM 10 LKS WIDE COURSE NE NORTH 4.50 chs 297
STREAM 5 LKS WIDE COURSE NE WEST 5.09 chs 335 9
CORNER IN E W COUNTY ROAD #2 COMMON LINES NORTH
OF FARMS FARM LINE N 80 Rods W - FARM LINE S (ROAD)
80 R.E