X. 9-5-1974 set C.I.M. over 5/8" x 18" rod #710905 (1)

section corner 8-9-16-17 Quincy 10 7-11.

11-1891 Thos Fraser P459 No 443 L 17 H Smith, H Kepner Stoddart

found stone and stake set earlier by Thos Hunter. New B.T. 10" pine L 22 S 40 E 58 ½ lks. 38.44

Meas west to M & L stone 39.79 ⅞ 2626.7 ±

10-1900 W Fraser P692-8 No 615 L 10-11 23 9 parties in NE 2.

found above stone See fld Bk 9 P. 65-79

Meas. East now 39.78½ To ¼ Cor M & L

1928 J Karr B-1 P 19-22. found stone easily.

Meas E. 5284.8 a little long. record. 5278.0 evidently

Meas. south line sutor 9.

30" Maple NW 63.9. Sta 130+87.5

12" burn pine N 69.7

(over)

1945 Co Hwy Dept. B 168 P 23.
Conc block & nail. Meas Wed 2628.52.

Spike disc	12" W pine	NW	92.33.
"	15" farm fork	NNE	68.1
"	power pole	NE	81.93.
"	30" W pine	SSE	39.61

1933 Co H D B 73 P 73. found old PI stake which was set from ties to stone. found stone lying near fence running south - reset stone from ties.
Fir tree north 80.0 Maple tree NW 63.1.
Meas - east 5282.3 - North 2628.4 south 5253.6
at meas N 2628.4 found iron stake in ground near creek bank at ¼ 8-9

10-1921 C.H.D. Had Stone - Same ties as 1933

SECTION CORNER 8-9-16-17 QUINCY 107-11 (2)

GOV. NOTES 1853 Wm A. JONES #710905

SET SECTION CORNER POST 80 CHS NORTH OF 16 17 20-21
20" burr OAK & 24 W 420 LKS 277.2
CORNER IN high LEVEL PLAIN IN E-W blacktop ROAD
CORNER boundary of 4 FARMS, common corner.

9/5/74 Co. Surv Dug with backhoe I found pieces of the C.H.D. cement block 3' deep in C.R.#2. There was a drag tooth and a very deep stake hole under all we accepted the stake hole as the corner location. Drove a 5/8" x 18" rod in the stake hole. placed pieces of block around the rod & placed a CIM over all RP's

CSD ON W SIDE P.P. SE 61.74'
PUNCH HOLE TOP LUG CLAMP W END 18" CMP SW 37.91
C.H.D. DISC. SW SIDE PINE TREE STUMP N.W. 72.51

CONT →

9/5/74 cont. Center 12" evergreen tree southerly of 2 pines NNE 85.0'

Corner falls 0.7' south of ℄ of C.R. #10 & in line with fence running south