10/30/90 SET CIC/PZ IN BOTTOM OF DITCH (1)
SET CIC/PZ AS WITNESS CORNER 35' E.

1/4 Corner 8-9 Quincy 107-11

#7109006

no records -

1933 Co HD B73 P73 7/10/33

Ran random line north from SW cor Sec 9,
found iron stake in ground near creek bank
at 2628.4 - no apparent origin or proof of corner
if corner at all

June 1902 Robt Fraser Book #10 page 45 used some
said corner being uncertain
Corner in the setting of Center sec. 8

10/90 FD IRON SHAFT ON E DITCH BANK DOWN
1 2' / 22' SOUTH OF E-W FENCE, CORNER USED
BY CHD (1933) UNKOWN ORIGIN

GOV. NOTES – 1853 – Wm A. JONES

SET $\frac{1}{4}$ SECTION CORNER POST M+L 40 chs 2640'
CORNER COMES IN CREEK OR STREAM
SET WITNESS CORNER IN MOUND, [redacted] 45 LKS WEST OF TRUE CORNER. 29
CROSSES STREAM 10 LKS WIDE SEVERAL PLACES BETWEEN
STA 31.75 FROM SOUTH TO 60.00 IN STREAM AT 40 CHS
CORNER SEEMS TO BE FARM BOUNDARY E AND W
COMMON LAND BOTH N-S OF CORNER
NO RECORDS W FRASER P 538 DECLARES CORNER LAST
NY 499
Oct 30 1893

10/30/90 SET 2.C/PC IN BOTTOM OF N-S DITCH
IN LINE OF MAIN FENCE E W AS PER
T. HUNTER NOTES ON AVERS OF OLD
SETTLERS, SET 2.C/PC AS WITNESS CORNER ON
1/4 LINE EAST 55.00' SET SIGN & POST 1' EN
OF WITNESS COR. WHICH FALLS UNDER E W
FENCE RP. CSD IN BRACE POST WEST 3.80'

1/4 CORNER 8,9 QUINCY 107-11 (2)

10-29-1885 Thomas Hunter (Bk 19, pg 59)
witness stake and mound completly #710906
gone, dug and searched, found old
fence running E-W. Old settlers says
fence was built on line when stake
was standing. So took middle of
creek on line of fence, measured
east 12.5 chs set post, ran ~~[illegible]~~ Stake line
South for fencing parallel with west
section line.