11-25-1961 C/M set by County. (1.)

10-2-74 - Dug down proved corner, & reset a C.I.M. & over a ½" rod

#711104

¼ Corner 11-14 Quincy 107-11

See field Book 9 P.65-77

10-1900 St Fraser P692 no 615 & 2-3-10-11.

as corner "P" in survey P695

found stone and stake by side in line fence

north and south. ~~and midway~~ W. 39.93 = 2635.38

E 39.87 (2631.42) feet.

11 lks (7.26') north of straight line as 10-11-14-15 was re-set.

—1/16 west found stone & stake set by Mr Alde

M&L 19.96½ = 1317.69 M&L 1317.7'

School no 74. 9-1864 J. Holland Deedbook 31 P427 (over)

1/16 stone is SE corner school site 9 rods 148.5' square.

Desc.=Comm SE cor of SW¼ of SW¼ Sec 11 N 9 rods W 9 rods S 9 rods E 9 rods to beg.

Co Hwy Dept. 11-61 -25- set C in M. 25203
found limestone at ~~corner~~ set pat over stone

Dice	corner fence post	N	45.39
"	tele post	S	48.97
"	fence post	SW	60.38
"	" "	NW	56.03

Meas east 2631.28 west 2631.25
Corner is PI Δ 0° 19' right from west

1933 Co HD B73 P3 Limestone with wood stake, S side.
RP- fence post NW 24.0 – Boxelder NE 31.8
Sta 79+37.6 PI Δ 0° 20' Rt.
Meas west 2631.1 east 2631.1

1/4 cor 11-14 107-11 Quincy #711104

10-2-74 Co. Surv.

Dug down beside the C.H.D C.I.M. & set a 1/2" x 15" rod on the N. side of the stone & a 5/8" x 13" under the C.I.M.

R P's

C.H.D disc in S. side R.P. # 1192	N.E.	88.17
C.H.D. disc in E. side Cor. post	N.	45.67
Disc (Co. Surv.) in W. side of E. gate post	So	30.4
C Surv. disc in E side of W. gate post	S W	55.52

GOV. NOTES - 1853 - Wm A JONES

SET 1/4 SECTION CORNER post M & L 40.02 1/2 (2641.65)

CORNER IN E-W COUNTY BLACKTOP ROAD # 2

T. H. Field BK #12 p 44 6-1885

found Stone in Road - Meas. West 19.94 1/2 - 19.94 1/2

5/28/92 County Surveyor fd Cm 5" deep in blacktop in good shape.
R.P. TRAV PT MICKon 1" SQ PIPE/CAP WNW 53.07'