9- 4-74 set "Shorty" over original C.H.D. C.I.M.

11- 27- 1961 C I M set by Co Hwy Dept. (1)

#711105

section corner 10-11-14-15 Quincy 10 7-11.

10-1900 2# Fraser P692 no 615 & 39.10.11 9 parties.

Corner gone set stone 4 x 12 x 24 with stake, well down by side, anered by old settlers. center tree rows

-1/16 west stone & stake set M & L 19.96½. 1317.69 Could be 19.93½ 1315.71

-1/16 east found stone set by Mr Alder. M & L. 19.96½.

---

1928 J Kerr 18" ~~maple N 66.0'~~ B-1, 28, 2 P21.

& 22° W Cottonwood 24" 35.5 found corner set ½" x 2½' iron

& 67° E " 32" 70.1 by side - meas from N 5270.34

North 15" Maple. 36.4.

N 62°20'W 18" maple 68'

11-1961 Co Hwy Dept B.252. set C.I.M. P3
4x10x24 + ½" rod on N side
set C.I.M. from limestone with rod by side.
Meas east 2634.25

Desc tile. post. Gone N.E. 59.22.

" cor post N.W. ~~53.4~~ 53.92 (1974)

" fence post S.W. ~~53.06~~ 53.22 (1974)

5-1933 CHD B7⅓ P2 found 4x10x24 LS with ½" iron on N side
Cottonwood ∠E P13 69.8 - Maple tree N 36.7
Sta 53+06.5 Δ 0°55' left.

9-4-74 Dug down with backhoe to prove corner location
+ found it to be as recorded

R P's
Disc Cor post N.W. 53.92' Disc Cor post S.W 53.22'
Punch hole E. end 18" cmp. S.W. 37.94'
Punch hole W end 18" CMP. N.W. 41.0'

SECTION CORNER 10-11-14-15 QUINCY 107-11 (2)

GOV NOTES 1853 Wm A JONES #11.05

SET SECTION CORNER POST 80 CHS NORTH OF 14-15-22-23
CORNER IN HIGH LEVEL OPEN PLATEAU AREA
COUNTY ROAD #2 E & W
COMMON LAND SOUTH, FARM LINE NORTH

5/28/92 County Surveyor fd 3" dia. P in blacktop, the corner falls 14½' East of field fence north