1-7-2 ~~73~~ ~~set 3/4 long~~ ~~CM~~ ~~over~~ ~~stone found~~ (1)
~~[illegible]~~ 8/3/12 Reset Cmt over top of stone #71405

section Corner 14-15-22-23 Quincy 107-11.
6-1885 Hunter P 399 no 389 S 22. C B Ketchum
found old stake center road in line fence east covered by
Mr Ketchum and settlers to be orig stake location, undisputed
Drove new stake "well down" with boulder stone on top for corner.
Meas 39.82 south to stone found. (2628.12
Meas 39.97½ west to orig stake found. replaced by new stake (2638.35'

10-1900 H Fraser P 692-7 no 615 S 2-3-11. 9 parties see NE2
found corner described p 399. corner X
Meas 39.94 north to ¼ Cor. (2636.04 Thence 39.70 to Sec. Cor.

GOV. NOTES - SET SECT. CORNER post 80 chs NORTH OF.
22-23-26-27 - EVEN OLD PLAT. Show ROAD RUNNING
EAST TWSP ROADS WEST AND SOUTH
FARM LINE NORTH -1953- Wm A. JONES

(over

1933 Co H D B73 P74.
found boulder about 6" below surface in line fence north, and row trees east.

Meas. north 52562 5256.04 W.F. record p. 692-7

7-2-73 found huge boulder pointed end up. fully. 12 x 16 x 24 or more. after measuring from south. set C/M with bottom 1/4 broken off to allow proper height. Corner 4' S of center E-W road and center road south. Meas S. to random nail in line center road east and 2' ± S of fence west.
54.5 SE to 20 D driven into knot SW side 24" burr oak. up 3'
50.0 SW to hole in tapered Conc corner post leaning SW by ~~dr~~ hole molded into post about 12" from top post
39.6 N to Conc nail in E side old corner post of 2 anchor posts.

SECTION CORNER 14, 15, 22, 23 QUINCY 107-11 (2)

6/15/92 County Surveyor fd c.m. apears to learn north, checked ties #711405

54.60' SE TO SPIKE IN OAK

50.52' SW TO HOLE IN CONC CORNER POST

OLD CORNER POST NORTH NO GOOD ANY MORE

8/3/92 County Surveyor dug out learning monument, reset over stone after locating center of top of Stone RP's 1973 Spike in oak SE 54.50 & E-W Rd North 4.0', corner lines with & of road south and line of fence north