X Sept 13, 1974 - fd - 3 pieces of Limestone lying flat, dug about 18" deep and fd old Stake hole (1½" dia x 6" deep) with old wood in hole set ¾"x20" iron rod in hole with C.I.M. over Rod #711606 (1)

¼ corner 16 - 17 Quincy 107-11

11-1891 Thos Fraser P459 No 443 L17 Geo Smith Geo Kegner
mr. Stoddart

found post set by Samuel Kegner by side
orig govt stake in mound.

6-1895 W Fraser P575 No 526 L 16-21 H Lietz

found post above P459. removed and set 2 stones as corner.

1/16 south - "located corner" 19.92 N & L 1314.72.

1/16 cor in center SW ¼ 16 planted stone subject to changing on event more complete survey of section 19.98 east 19.92 north recline

Sept. 13, 1974 Co. Surv.

Chained So. from Sec. Cor. (CIM) at 8-9-16-17 - 2631.7'
probed area of fe Corner (fences are tied to large oak Tree
used as fence Corner) found 3 pieces of limestones
Lying flat about 3' S.Ely of said Tree. dug large hole
by hand under stones found and after digging ±18"
deep found 1½" x 6" deep hole with old wood remains
in it. Set ¾" x 20" iron rod in stake hole and
Set CIM over rod. about flush with ground and
placed the pieces of L.S. around Top of Mono.
R.P. - N-S fence running South. — West. — 3'
E-W fence running East — ~~South~~ north — 3'
40p spk in oak Tree — E.SE. 35.35'
Corner lies in woods - 4' S.E.ly of OAK Tree fe Cor.

#711606 (2)

1/4 CORNER 16-17 QUINCY 107-11

GOV NOTES - 1853 - Wm A JONES

SET 1/4 CORNER of SECTION, past M+L 40 ch
2640'
CORNER IS COMMON CORNER OF 4 FARMS
IN PRETTY SHARP SLOPE N Ly toward LEVEL VALLEY
ONLY SOLKS TO FOOT OF BLUFF + ENTER PRAIRIE.