/

#711706 (1)

1/4 corner 17-18 Quincy 107-11

11-1891 Thos Fraser P459 no 443 L17. Leo Kepner, Leo Smith. Stodd-art
Marked stake in place averred by Leo Henton to be exact spot gov't corner, undisputed.

11-1892 Thos Fraser by Wm. Fraser. P500 no. 471 L18. J Harvey, Parrie H. Davidson
found marked stake P459 beside corner post.
1/16 west drove iron bolt M & L 20.01 1/2. 1921'
1/16 cor center & E 1/4 18 iron bolt set M & L 20.01 1/2 N-S 1/16 line
meas south 40.02 to section corner.

Cover

In setting SE18 found meas from 1/4 17-18 to 1/4 19-20 over run 4 chs so meas south to SE18 40.02 or 2641.32'

4-4-1973 walked to corner with electronic prism. - set up 16' east behind gate post & fence east. for elec meas south found 4" very old post just north of 10" rotted off corner post of fence. S-E-W. broke glass on top of old post-stub. results of meas south to 1/4 19-20 found. 5268.97

record N 0 L 40.02 = 5282.64 or 13.67 ovrs actual.

4-6-73 set final corner at 17-18-19-20. meas. below.

- 4-5-73 found iron bolt west as 1/16 set by Thos Fraser P 500 - 11-1892. N 0 L. 20.01 1/2. (1321.0').

1/4 17-18 post stub S. 2638.29 then 2630.68 to stone at 1/4 19-20

1/4 CORNER 17-18 QUINCY 107-11 #711706 (2)

GOV NOTES - 1853 - Wm A JONES

SET 1/4 SECTION CORNER POST M+L 40 chs 2640

FARM LINES W+S COMMON N+E

CORNER IN WIDE LOW LEVEL bottom LANDS.