X 9-28-1979 Found stone 10"x10"x18". #712305
Set a 3 in. (10") over the stone with iron on E-N. side of stone

Section Corner 22-23-26-27 Quincy 107-11. (1)

6-1885 Hunter P 399 no 389 S 22 C Ketchum

corner missing, searched carefully, set boulder stone
by testimony of Mr. L Lewis who claims his fence running
south was placed so west side of fence posts lined with
corner and 2 rods north row cottonwoods running west.

1/16 north - set stake and stone 19.93 1/2 (1315.7) M & L.

4-1898 Wm Fraser P 625 no 569 S 27 C Amos.
found stone set P 399.
Brass meet 39.94. (2636.04) to stone.

(over)

10-1896 N Fraser P595 No 541 S 23-4-5-6 5 parties
E J Dowling
James Small
John
Patrick Callahan
& Fay.

found boulder stone placed P399.

Meas 3996½ east to stone set M & L.

9-28-1974 Co. Surv.

Dug+ found boulder 10"x10"x18" about 1' deep in the "T" intersection. Set a ½" x 2' rod on the E. side of the stone, + a piece of iron on the N. side + a 10" C.I.M. over all.

Corner falls. 3' North of E-W. road (C.R.# 107) + 5½' West of the line of fence running South. + 2'± West of the ℄ of the road running North.

#712305 (2)

Sec. Corner. 22-23-26-27 107-11 Quincy

R.P.'s

C.S. disc S.E. side P.P.	N.E.	46.3
C.S. disc N.E side Porch. pole	S.E.	47.45
C.S. disc W. side of Southly cor post	S.	35.43
S.W. cor tele box	N.W.	49.4

SECTION CORNER 22-23-26-27 QUINCY 107-11 (5)

GOV. NOTES 1853 - Wm. A JONES #712305

SET SECTION CORNER POST 80 chs NORTH OF 26 27 34 35
8" burr OAK N 17½ E P-chs
ELEV 1101 CORNER IN high level plateau
CORNER IN INTERS twsp ROADS E W N
FARM LINES S- W N
MEAS E 80 chs S280 W 79.95 S276.7