① X 9-30-1974 found stone 4" deep. Set ½"x 30" rod on E side + set C.I.M. over. #11 - No. rod under C.I.M.

#712406 ①

¼ corner 23-24 Quincy 10T-11

10-1896 W Fraser P595 No 541 L23-4-5-6 5 parties see SW23 found stone planted in center road by old settlers Corner K in place of govt stake, undisputed used in relocating SW cor 24 - meas south to SW24 39.95 (2636.7)'

5-1900 Robt Fraser P679 No 604 L24 Drysdale. found above stone in center road, left as found. averred as same stone as R Fraser worked on earlier survey crews.

7-3-73 set nail on random line and meas from 11-12-13-14 2635.32 L of joint located at 13-14-23-24 as temp corner. set one nail ea tops of corner posts RPS NE 37.6, NW 44.36, SW 48.12

9-30-1974

Dug with backhoe + found stone 4' deep in 4-Way intersection. Set 1/2" x 30" rod on the E side of the stone + set a C.I.M. over all.

Cor. lies 2' S. Center E.-W. road + 1' W. Center of the N.-S. road.

RP's

Nail in N.E. side OAK tree	S.E.	101.1
Disc in W. side P.P. # 1114	SSE.	79.75
Disc in P.P.	S.W.	49.14
Disc in Tele. pole	W.N.W.	59.2'
Top Center 4" Tele box	N.E.	60.2'

(2) 1/4 CORNER 23-24 QUINCY 107-11 #712406 (2)

GOV 1853 Wm A JONES
NOTES SET 1/4 SECT CORNER PAST M&L 40 CHS 2640
CORNER COMES IN CROSS ROADS INTERS of IVRY ROADS
BOUNDARY CORNER of 4 FARMS
CORNER IN high LEVEL PLATEAU