X · 10-8-1974 set C.I.M. #712505 #(1)

section corner 25-26-35-36 Quincy 107-11

10-1896 H Fraser P595 no 541 S 23-4-5-6 5 parties Le & W 2 3

"E" original stake claimed by a E.O. Dowling.
as standing west side corner post. NW B T placed
corner at that location. Meas North 39.72 (2621.52 rough terrain
1/16 east 6 - drone stake 19.94 1/2 N 7 L. 1316.37
1/16 west 8 - corner. 19.81 1/4 N 7 L. 1307.62
set corner 8.90 chs west of 1/16 corner west of above sec corner.

10-1902 H Fraser P260 S 35 Carl Petzel
used corner fence post as corner "a"
1/16 cor west 5 - set temp stake 19.81 1307.46 N 7 L. (ones)

1/16 south – 2 found stone and stake 20.02½ N & W 1321.65

1/16 center NE¼ 35 – 6 drone iron stake which lies
1 lk .66' N and 16 lks 10.56' west of NE corner barn.

found 1/16 corner south, data as follows

12-1940 Co Hwy Dept B 125 P56 a stone

bears Cor F Post SW 36.4
" Tele pole NW ~~36.7~~
" Tele pole ESE 27.4

Orig B trees – 25-26-35-36 11" BO S 15° W, 116 lks, – 10" BO N 67½° W 28 lks
9" BO N 25° E 260 lks – 11" BO S 22½° E ~~224~~ 124 lks

SECTION CORNER 25-26-35-36 QUINCY 107-11

GOV'T NOTES Oct 7th 1853 Wm ASHLEY JONES

SET SECT. CORNER POST 80 chs NORTH OF SOUTH 35-36

#12505

10" bur OAK	N 67 W	28 LKS
9" " "	N 25 E	260 LKS
11" " "	S 12 E	124 LKS
11" " "	S 15 E	116 LKS

NO ROAD, FARM LINES N & E OTHERS ALL COMMON
CORNER HIGH MEDIUM LENELS NO SOLID WOODS
MAYBE NW & SE SOME WOODS GET STEEP BURCH N

MEAS E. 80.10
5286.6
MEAS W 79.88 5272.08

10-7-14 Dig the note at corner before - found nothing except where the fences came together from 3 directions there was no evidence anywhere of the corner but set the corner by doubling the line 79.88 links from the N & S corners we found East of this line a pile of rocks. The corner falls in line of fence running N & S

R.P.'s

40d spike in South side 24" Twin Burr oak W.N.W. 11.13'

C.S.D. & spike in So. Side 24" Burr Oak West 31.5'

Center 18" Burr Oak (in fence Line) North 66'

Clump of Elms (Center) in fence line East 53'