X Oct. 22, 1974 fd - 5"x5" Top L.S. & 3/4" rod riser - Set C.I.M. (1)

section corner south 31-32 Quincy 107-11 #713205
north 5-6 Dover 106-11.

Gov't Notes: Sept. 1853
Set Post - drove charred stake, built mound with trench

10-1874 Hunter P262 no 261 & 31 Peter Scherer etal.
found stone planted in road by Peter Scherer, Honeyberger etal
where original corner stood.
- 1/16 west - found stone set accurate within link - left as is
- Meas north 39.93½ to set corner stone.

8-1887 Hunter P419 no 408 & 6 J Kelchum, W Miller
found stone P262.
- 1/16 west - found stone P262 20.07¼ M&L.
- 1/16 scrib-set stake 19.89 then 20.08 to ¼ cor stake.
1312.74. 1325.28

Co Hwy D. B146 P58 1943 found. Mon

RP's ap by FP NE 38.7

" " " NW 55.3

Hubs N & S 66.0

Co HD B94 P6 1938. found stone set 3/4" riser & hub.

Sta 131 80.75 at cor a PI 2 Sta 1 hub west 7923.7 5257.05 West to Town

Δ 2°01' L

Sp in boulder south 90.2 old Tie other Ties gone

Co HD B101 P95 1939. - Meas south 5289.6.

set 1/4 corner south. 2638.5 then 2651.1 to section corner. south

B94 P6 Co HD 1938 stone with 3/4" iron riser. 4x4x24" LS.

hub near surface. W. nut N.W. 52.8 - and SE 94.4.

Topo B94 sta 131+80.75 sec cor stone. P43

Power pole 131+42 51' L. - F cor S & W 132+62 43' R.

& co road V 132+91 - fence cor S & E 133+18 36' R - fence cor E-N-W 133+82 27' R.

Tele pole. 133+92 22' L

Section Cor. South 31-32 Quincy 107-11 (2)
North 5-6 Dover 106-11 #713205

10-23-1974 Dug with tractor and found limestone with 3/4" rod riser 7½ ft. deep. set C.I.M. over ½" by 30" rod flush with bituminous surf.

R.P's C.S. disc P.P. # 884 N.W. 57.23
Bottle cap E. side P.P. #885 S.E 79.5
Cross in top west end concrete culvert N.E. 89.32

6-10-93 CHD Took grading ties to CIM before Construction of CSAH #9

12-9-93 CHD Set 5/8" Iron as Corner in Crushed Rock CSAH #9

11-29-94 CHD Set 3/4" Copper Rod in Concrete CSAH #9 as Final Corner