5/17/89 SET 1" SAMPE / CAP OVER STAKE PO #713305 (1)

section corner south 32-33 107-11 Quincy
north 4-5 Dover 106-11.

no records - found 1½" pipe 18" deep doubled corner. mear to 1/4 4-5 Dover.
Co Hwy Dept 1938 B94. PI bridge pile
placed nail in road 2640.3 north of 1/4 4-5 106-11
no description of this 1/4 corner.
1938 ties - Cottonwood SW 36.7. - Willow stamp SE. 63.8.
later ties - Sp FP N 73.8 - Hub NE 92.6.
Sp in Tele pole N.E. 41.8

Station 18464.35 Inflected 13180.75 5283.6
also PI Δ 0°3' R. measured 5270.4?
over

9-2-70 Co surv. Needle will not show any corner, no trees within 1000 feet fence N & S opposite, open and straight, tape to corner pole east about right for station but in fence line 33' not 40' much brush there at orig survey. dug extensively for stub of old post 3.8 ground clean & undisturbed. Kink in upper barb wire could have been where staple held post unbelievable post could have been there corner assumed in center road Must dig 33 mear from S. Note dug for S¼ 33 found nothing there

---

Gov't notes: Sept. 1853
Set Post & drove charred Stake built mound with trench
11/2/88 DUG WITH BACK HOE IN BLACK TOP CO. RD. #9
FD IRON SPIKE WITH HUB BESIDE 2½' DEEP RP's So 4.76
W 7.61, FD 2 STAKES SIDE BY SIDE THE OLDEST
LOOKING ONE RP's So 6.38 W 7.79', NEWER LOOKING
ONE RP's So. 6.17 W 7.66, THE TOP OF THE 2 STAKES
ARE 3.8' DEEP, FOUND A POST HOLE 5" DIAMETER
.8' S.W., OF THE 2 STAKES CONT ON NEXT CARD

#713305 (2)

SECTION CORNER SOUTH 32-33 QUINCY 107-11
NORTH 4-5 DOVER 106-11

11/2/88 CONT. THE STAKES & POST HOLE ARE AT THE CLAY LINE, THERE WAS 1" OF NEWER STAKE LEFT, REMOVED TO OFFICE, ALSO TOOK PICTURES, THE OLD STAKE WAS ABOUT 3" LEFT BUT BLACK MARK RAN 1' INTO CLAY, THE BOTTOM OF STAKE WAS ABOUT 5' DEEP. THE 1938 C.H.D DIGGING MISSED THE CORNER BY ABOUT 1' TO THE SOUTH, SET SPIKE IN NEW BLACKTOP PATCH UNTIL WE CAN SET MONUMENT. SET SPIKE @ OLD STAKE PT C.H.D 1000 SPIKE WAS 1 60' SO & .30 WEST OF OLD STAKE FD.

5/17/89 SET 1" SQ PIPE/CAP # 15809 AS CORNER OVER OLD STAKE LOCATION. IT LINES WITH FENCE N & S 1.3' NO OF ℄ RP's
C.S.D. IN PP #42158 ESE 97.15
℄ OF ℄ POST SO 35.43'
PUNCH HOLE IN 18" CULVERT N.E. 37 26'

June 1993 CHD Took grading Ties to square Pipe w/Cap Before Construction of CSAH #9

12-10-93 CHD set 3/4" Iron as Corner in Crushed Rock CSAH #9

11-21-94 CHD set 3/4" Brass plug in Concrete CSAH #9 as final Corner