7-7-1977 Set C.I.M. over stone Fd. #713505 (1)

section corner south 34-35 Quincy 107-11.
north 2-3 Dover 106-11.
No records - Sta 290+15.1 Δ Left 26'

Co Hwy Dept 1941 B125 P4 stone monument.

disc Boxelder	NE	63.25
Hub	NW	62.45
Hub	S	99.9

RPs old Plat book leaf limestone and stake.
Disc in boxelder NE 42.5 2ile pole NW 74.2
Disc in fence post N 27.2.
Meas west 5280.3 to corner found. S 33-34. 1½" pipe over

Tops on fence north at S 1/4 35 Meas 2648 to S 33-34

-topo B125 P22. 10-1940. corner stone mon. 290+15.1 page 4 B125
285+60 tele pole 23' N, 286+87 fence N end 25' N.
287+02 begin row stumps 31' N - end stumps 288+47 N 34'
287+25 tree "save" 40' N.
approach to farm 15" x 20 288+65 141' L of ℄
yard fence 289+80 begin 25' L or N
apple tree 289+88 "save" 53' N. - 289+43 TP N 19'
End fence N 28 290+15.
291+25 field approach S. Yardfence. 291+66. N 26'

1970 Co surv. found boxelder 63.25 still in place.
-dug extensively for sub 100' south under fence found nothing.

Gov't notes: Sept. 1853
Set Post & dug trench
one B.T. Burr oak 10" N 71 1/2° W 355 links = 234.3'

Section Corner South 34-35 Quincy #713505 (2)
North 2-3 Dover 107-11
106 11

7-6-77 Dug with backhoe & found 6"x 10"x 21" limestone Down 3½' in blacktop road set ½"x 25' iron rod on east side of stone Corner falls in ℄ of E W road & 2' West of Fence north and in line of fence South. (Set C.I.M. 7-7-77)

R.P.'s spike in no side P.P # 1002
spike in east side Corner post
60d spike in west side 30" Boxelder

W.S.W. 159.2
North - 53.85
N.E. - 64.98

7-31-95 ~ FOUND CIM. SET 1" SQ PIPE W/CAP 60' NORTH OF ℄
CR #9 IN LINE OF FENCE NORTH.

T @ REF PIPE

ART CENTER RED LIGHT ON TOP OF RADIO TOWER SE TO SECTION COR.
34° 49' 45.5"

TO SOUTH SEC COR 34-35
VA 90° 42' 33" dv 07
SLOPE 60.12 HOR 60.115

"713505" E 7-15-98

✓ N. Sec Cor. 2-3 106-11 Dover

S. Sec Cor. 34-35 107-11 Quincy

Drilled hole 0.25' South ℄ of creek CSAH #9

C.S.D. in P.P. SE 66.00'

C.S.D. in P.P. WSW 115.69'

In line w/ Fence North

77.0' West Res. Drive North 81.5'

Top Center T.C.M. Box NE