9/19/66 SET 1" SQ PIPE/CAP #713605 (1)

section corner south 35-36 Quincy 107-11.
North 1-2 Dover 106-11

10-1902 Wm Fraser P26B sec 35 Carl Petzel.
set small stake and stone from NE B tree (no Gov't B.T. - NE.
- corner came in line of fence south and 29 links
north of corner post. Mr Thos Stevenson owns he
set fence south from corner.
- meas east to township corner 79.84 {5269.44
- meas west to SW corner 34. 159.56 {10531.0
1/2 5265.5
1/4 2632.74
- set temp point by meas at S 1/4 35 for line north
corner

12-2-1940 Co H D. book 125 P 56

found 1/4 35-36 stone and 1/16 north of 1/4 35-36.

1320.9' R. 20 02½ 1321.65

used line of 2 stones and projected line south.

2640.8 and "set ℄" or ℄ 35-36

no description or ties to whatever set

1-1941 Co H D book 125 P6

station township corner	345 + 41.6	5265.2	
station ℄ 35-36	342 + 76.4		
station ℄ 34-35 stone	290 + 15.1	5261.3	

℄ 35-36 says P6 Computed By Kalb.

Gov't notes. Sept. 1853 – Set Post & dug Trench

B.T.'s	Bur. Oak	10"	N 45° W	110 Links
	Bur. Oak	6"	S 83¼° W	53 "
	Bur Oak	12"	S 60° E	+39 "

#713605 (2)

Section Corner South 35-36 Quincy 107-11
North 1-2 Dover 106-11

9-16-77 Dug from t.n. set in ℄ and in line with fence So. W 1½', E 7', N 2', and 4' So. by 3' deep. Cut on N side and old road in clay on S. side. Found nothing.
R.P.'s to t.n
Pop cap E side pp SW 34.84
Pop cap W side telephone pole NW 38.75

1/16 N of 1/4 Co.

E. of to.

9/12/88 S SEC COR 35, 36 QUINCY DUG FROM 4' SO OF
N SEC COR 1, 2 DOVER
℄ TO 9' SO OF ℄ ½ FROM FENCE LINE SO. EAST 8' IN THE
NORTHERLY 2' OF THE HOLE WE WENT DOWN 3½ TO CLAY
JUST BELOW OLD ROAD IN THE SOUTH HALF OF THE HOLE
CLAY STARTED AT 2½' TRANSITIONING TO 3½' DEEP IN
THE MIDDLE OF THE HOLE (FD NOTHING) WE SCRAPED THE
NORTH EDGE OF THE HOLE TO MEET OUR PREVIOUS DIGGING.

SECTION CORNER SOUTH 35, 36 QUINCY 1074-1 (3)
NORTH 1/2 DOVER 106-11 #713605

9/19/88 SET 1" SQ. PIPE W/CAP ON SECTION LINE FROM S.W. 35 TO SO. 1/4 36 ; W FRASER PRORATED MEASURE FROM N-S 1/4 LINE IN SEC 35
RP's C.H.D. DISK IN PP # 1030 S.S.W 32.97
C.S.P. IN BRACE POLE # 49559 N.N.W. 55.41
CORNER IS 1' NORTH OF E C.R. #9 ; 4' EAST OF FENCE SO

7-31-95 - FOUND 1" SQ PIPE W/CAP. SET 1" SQ PIPE W/CAP 60' NNE OF SEC COR
π @ REF PIPE
4RT P.K. NAIL IN PP #1031 TO S SEC COR 35-36
194° 05' 55"
TO S SEC COR 39-36 (1" SQ PIPE W/CAP)
VA 94° 29' 05" dv 03
SLOPE 60.345 HOR 60.16

7-15-98

N. Sec Cor 1-2 106-11 Dover "713605" F

S. Sec Cor 35-36 107-11 Quincy

Set P.K. Nail in ℄ Creek C.S.A. H# 9

90' East of ℄ Field, Drive North

C.S.D. in P.P. SSW 50.51'

C.S.D. in P.P. NNW 62.38'