1 7-6-73 set C/M over "peculiar" stone with drag torch below.

#720106 (1)

¼ corner 1-2 Viola 107-12.

10-1889 Thos Fraser P436 No 423 S2 Lexington Johnson.

corner gone in road wash. run line N & S. short 10 ¾ links so proportion

80.35 : 80.24 ¼ :: 20.35 : 20 32 ½

- Meas south 39.94 ½ 2636.37 1341.45 1341.45
- Meas north 40.29 ¾ or 19.99 ¼ 3 times & 20.32 ½ 2659.64
- set boulder for corner 8" oak N 89° 55' E 52 ½ lks. (34.65'

(over

6-1902 Robt Fraser. Unrecorded survey found in old field book No. 10 Page (42) See HC Richardson. Corner "D" could find nothing. Witness tree taken former survey. standing. & shown corner as indicated by old settlers. Measured "E-D" and found it to overrun former measurements by 4 lks (2.64' 39.94½ - 39.99. Set a peculiar limestone as corner. the Corner 2636.37 - 2639.34 Came in gutter and had been scraped out by road graders. -16 S "2" put stone in line & midway 19.99½ (1319.67

6-6-73 found very odd shaped pointed stone in hollowed out place in sandrock road bed.

see Card # 2

#720106

(2)

Card # 2. 1/4 1-2 Viola 107-12

stone nearly round shaped with many irregular corners with dark stripes or blotches but one positive point up. dug deep with tractor and plowed stone deep over a drag tooth and set CIM over stone rather shallow 3" ± below road

66.0 NNW to cone nail east side power pole in step ditch to top road slope. # 33140

35.15 E to 20 D on S side witness tree driven where piece of old wire comes out of tree over.

Elect meas. south 2635.88 RTF 2636.37
RF 2639.34 (reset stone)

Meas north 2658.59. RTF 2659.64.
Stone found Robt Fraser's stone but meas computed to reset N 1-2 taken from Chas Fraser's mile meas. which seems to fit better

---

Gov't Notes Wm A. Jones Oct. 1853
40.00 set a Temp qr. sec. post
40.35 Set a qr sec post from which a
Br. Oak 6 in d.a N 20 W 194 lks
Br Oak 6 in d.a N 50 E 209 lks