1 8-15-72 found recorded limestone. #720206 (1)

¼ Corner 2-3 Viola 107-12.

10-1889 J Fraser P436 No 423 L2 Tilerington-Johnson
found large stone partly buried seeming to be where orig
corner should be. ran N-S line which passed 4" west
of center stone used this point to set half way point
east for sub dividing line south.

1/16 east set stone 3½ x 6 x 28 M & L. 19.94 3/4
1316.53

5-1890 J Fraser P441 No 427 L3 R Johnston.
had Mr Hillmans notes on this line which stated he set
stake M & L. while govt notes demand that mile be 80.15
which actual meas is 79.88½. ones)

by figuring formuled $80.15 : 79.88½ : 20.15 , X
leaves. 20.08 1/6 as north 40 and. 1325.38
19.93½ as 3 40's below. 1315.7

Stone to stone
2629.04 Zap.
2645.55 stone to rod set by Kaveler
2638.94 to cor set.

or Meas south 39.87 2631.42
Meas north 40.01½. 2640.99
— set stone 3 x 9 x 24 at this point on N-S line
— 1/16 east corrected stone set P436.
— did not correct center sec 2 - should go south 7¼ lks (4.81)
— 1/16 west set stake M & L 19.92¾ now Hwy 42. 1315.205
Total mile actual 1890.52 72.41 1972.5268.98
Midway 2634.49 actually set 2631.42 or 3.07 south.

Lee Card # 2.

#720206 (2)

Card # 2. 1/4 2-3 Viola 107-12.
8-15-72 search for Center ~~2~~ set by Thos Fraser.
10-1889. - found old pump standard there with apparent
recorded boulder some 10 east under fence. Meas West.
and found 1/16 fences N-S-E-W corner post at
1325. then 1306.5 to recorded 3x9x24 L stone
at 1/4 2-3. Record by Thos Fraser 19.94 3/4 M&L. 1316.53
found limestone just north of large fence corner post of
fair fence south. fence east not so good, fence west down
no fences north, common land.
1/16 fence way out of station going east

8-17-72 ran electronic traverse from 2-3-10-11
North using L stone at 1/4 2-3. and set referenced
nail at N 2-3. RP below.
R 2631.4 R 2641.0
meas. 1/4 2-3 south 2629.04 North. 2638.94
Kassler bent iron found as N 2-3 at 2645.55 from stone 1/4 2-3.

41.75 North to nail Power pole.
40.64 S west to nail tile pole.
above are RPs to 40 D nail set on direct line from
2-3-10-11 stone mes stone at 1/4 2-3 and computing
proportional distance north of 2638.94 which came.
29.09 west and 6.61 south of Kassler bent rod.
- Kassler crew rechecked their timesand found computation.
within small measure - should have set permanent Corner.
- left 1/4 2-3 as is until later.

Viola 1/4 corner 2-3 #720206 | 3

Govt Notes Jones 1853

Set 1/4 sect post on line at 40.15 (2649.9 from north)

6" Bur Oak N 27 W 77 lks

6" Bur Oak S 15 E 158 lks