1 6-28-1973 set C I M over rund rod. (1)
on line & meas from 5-6-7-8 over 1/16 E 1319.62
#720504
1/4 corner 5-8 Viola 107-12

11-1891 T Fraser P465 no 447 L5 L Stensberg.
ground frozen located temp corner. by L E B tree standing
Hunter found orig stake in mound 1873 tested by B tree standing
P236.
Caption 10-1894 shows. stake & stone not M & L so
could have been set by W Fraser by B Tree
1/16 each stone shown 20.04 1/4 M & L.
1/16 west stone shows 20.00 M & L

8-1900 R Fraser. P688 no 611 L8 W.S. Sawyer.
found. stake and stone on south and almost on center over)

of road. Ran out from Wit tree S 35 E 162 links 10642
marks all plain. - exact quote - note, couldn't figure
out the south side & middle of road declaration.

6-28-1973 found positive stones used by Hill 7 rases
at 5-6-7-8 and 1/16 corner east. 1319.62. doubled
meas and proj. line carefully. dug 6' deep thru rock
fill and boge to clay. found no stone. set C/N over
reinf rod. - corner came some 3' S center E-W road
RPS. 102.8 ENE 4y to 1" dia alum pole emblem (1964) 1.6 under.
no plate of PP # 20849 up. 7' +. slope meas.
72.0 S E to 20 D on N E root section side large scarred oak.
37.3 1' E & N to 16 D in top corner post fences W-N.
Meas W 2639.24 E 2645.84

Viola 1/4 count- 5-8 #720504 (2)

Get notes on Back

Gov't Notes W.A. Jones 1853 1/4 corner 5-8 continued

bar 8° 49' E

40.00 Set a temp Sec post

West on true line Between Sec 5 & 8

bar 8° 59' E

39.92 1/2 Set a Sec post Bears Gin 335 Elec

Make a trench

9-13-1979 At 1/16th East: Set a 5/8" x 17" iron midway and on line. The corner is 5' South E-W road and 3' E & N-S road.

RP's: C.H.D. Disc NW side pp# 20727 NE 46.65

C.H.D. Disc S. side pp# 20726 NW 56.90