/ 10-16-96 SET CIC/p2 #720806 (1)

¼ Corner 7-8 Viola 107-12

12-1873 Hunter P236 No 238 S 5-6-7-8 S Holton.
found original stake in mound.
- Meas south 40.08 2645.28 to stone S 7 E
- Meas north 39.92 2637.72 to stake found in mound
Some controversy about this mound as it was in Cattle corral or near it Lee 5-6-7-8

5-1886 Hunter P407 No 396 S 7 A Heyn F Bethke.
found corner fence post in mound, marked post on west side, tested by meas from south 40.08 (2645.28
Gov't Notes → 1871

to section corner stone P 2 3 6.
- Meas north 39.92 (2634.72 to stone after road.
- 16 west set marked stake M & L 19.88 (1312.08
set stakes for fencing N-E-W above 1/16 corner.
also set stakes South 1/4 corner

Gov't Notes W. A. Jones 1/4 corner 7-8
40.00 Set a 5cc post, in Mound of Earth
+ 5cf deposited charcoal / Made trench
and pits, planted / Osage Orange Edw
of trench

1/4 CORNER 7-8 VIOLA 107-12 #720806 (2)

10-16-96 DUG TO COVER T. HUNTER LOCATION OF 1/4 CORNER. FOUND MUCH WIRE IN DIGGING NORTH OF CORNER POST TO FENCE E-W-N. FOUND PIECE OF FENCE POST IN ONE HOLE ALONG SIDE AN 8" DIAMETER HOLLOW POST HOLE WITH WOOD PIECES IN IT AND SHELL PIECES OF OUT SIDE POST. THE BOTTOM OF POST HOLE IS OVER 3½' DEEP IN FILTER AREA OF WOODS SLOPE FROM NORTH. THIS POSITION SEEMS TO FIT T.H. DISTANCE FROM SOUTH + DISTANCE WEST TO 1/4 LINE IN SEC 7. THERE WERE TWO STRANDS OF BARB WIRE ONE FOOT DEEP IN GROUND RUNNING E-W PAST THIS LARGE POST HOLE + SEVERAL CIRCLES OF BRACE WIRE + JUNCTION WIRES FOR C.P. ASLO FOUND WIRE RUNNING

10-16-96 Cont. North 1.3' Deep Below Ground. Set CIC/ 5' Long Felspar Pipe At 8" Post Hole Location. The Corner Falls 3' North of E-W Fence & 2½' West of Fence South. Placed Two Stones North & South Of CIC @ Ground Surface. Set Sign & Post 2' South of Mon.