1 6-27-73 set C/M over stone found - iron & concrete ①
#720904 pieces

1/4 corner 9-16 Viola 10 7-12.
7-1870 Perry P130 No 162 S 16-21 A Robinson.
found orig cor tested 7" Burroak S 20° W 47 lks.
where marks when cut away were plain also stump of
N W B tree. used to set center only.

5-1902 Armstrong P52B S 16 A Mullholland, J Patchen
corner gone. run line E & W also projected line from
S 1'416 over center and found roots of N W B tree
set granite stone marked brick etc under it.
14" burr oak S 86° 30 E 71 lks marked (46.9'
- mean - west 39,72 2621.52 - east 39,62 2614.92
set corner on projected line over center 16. (over)

1/16 south. set boulder. 6 x 10 x 30 M & L 19.77 1/2.
1305.15

1/16 west set limestone 2 x 8 x 16 (likely M & L. 19.86
for NW cor of Patches 40 acres in Sec 16 1310.76

6-27-93. dug with tractor on 1/4 line projected from iron at S 1/4 16 a long used iron pipe and C/M at Center 16 found by JKerr 6-1964 an undisputed record corner stone & slab. - found boulder marked with stake & brick as recorded. 1.8 west of projected line and more than C.A. mean which is normal for Sec 16. each 1/4 mile overrunning 8.6' ±
S to 1/16 1313.75 then 1313.22 to Center 16 RAArmstrong 1305.15'
Corner down. hardly 22" set C/M on Top nearly flush with Road surface. - 1/2" rod on S side. Much broken concrete by stone.
La Card #2.

Card # 2. 1/4 9-16 Viola 10 7-12. #720904 (2)

RPS 47.4. LE to center of shank of RR spike driven into NE side 30"+ Bone burr oak. up 30"± spike head out 3"±. only tree within 100'

51.0 NE to Conc nail on W side fairly new telepole.

80.05 E to Conc nail driven into small knot on N side power pole 20691

No mear E - W - or north. 1/16 west in super deep ext.

Gov't Notes W. A. Jones 1853 E. Random 2016
40.00 Set A temp. See post Bar 8°31' E.
West on True line between sect 2016 Var 8°57' E
39.95 Set A Sec. post B.Oak 6 in N70 W 30 lks
B.OAK 7 in S 20 W 47 lks
over 1/16 South

1/16 corner between Center 16 and 1/4 9-16.
record. boulder. 6 x 10 x 30 set by C A Armstrong 5-1902.
M & L. 19.77 1/2 or 130.515.
- found perfect solid recorded stone. down 20" ± set 16" x 1/2"
rod rise. - Corner slightly west of Center road.
1313.22 S to Center 16 1313.75 N to 1/4 9-16.
49.7 2' N & E to bottle cap S side new Cor post & fc. E.
32.8 N E to bottle cap N side tele pole.

11-7-96 FOUND CIM IN GOOD CONDITION DOWN 5" DEEP IN N-S 105TH AVE NE 1' W OF ℄ N-S 105TH AVE + 2' S OF ℄ 55TH ST NE RUNNING WEST. + IN LINE OF POWER POLES RUNNING EAST INTO HOLST FARM YARD.