1 5-9-97 Set CIC/P2 # 721004 (1)

1/4 corner 10-15 Viola 10 7-12.
5-1902 Armstrong P52B d 16 A Mullholland, J Patcher
In placing NE cor 16 meas to above corner. 39.60
found stone west side road. 3"x12" setting in E-W
direction. 30' east of cor part of fence on west side
of road.
— meas south to stone d 1/4 15 80.05
Govt Notes W. A. Jones 1853 East Random 10+15 bar 8°W E
40.00 Set a temp Sec post
West - on line between Sec 10+15 bear 8°48'E
40.01/2 Set a Sec post Bur Oak 7in N25W31 lks
Bur Oak 8in S76W47 lks
58.00 Enter Thicket 10+15

12-2-96 We Set Out M+L Between Sec Corners. This Came On East Side Of Old Road ±3' South Of Line Of Fence E. We Also Set Up Proated C.A. Distanle From West Which Came On West Edge Of Old Road 19.54' West Of M+L Point Nearly In Line Of Fence Running North.

5-9-97 Dug @ C. Armstrong' Stone Found Position From (1902). Dug From 2' North To 3' South + 2' E + W Of Comp Location. 1½' Deep To Clean Clay. Found Nothing. We Probed Area But Unlikely The Stone Could Still Be Here. The Remains Of Old N-S Road Is 2'-3' Lower Than The Natural Ground Level East + West. Set CIC/p^2 As Corner On E-W Sec Line + C.A.

721004 (2)

1/4 CORNER 10-15 VIOLA 107-12

5-9-97 CON'T:) PRORATED DIST. FROM WEST AT CALCD LOCATION @ WEST SIDE OLD ROAD. THIS FALLS IN LINE OF FENCE NORTH + 2' SOUTH OF MAINLINE OF FENCE EAST. SET SIGN + POST 2' NORTH OF MON. CSD IN CP TO FENCE E-N + SW. NORTH 3.38 5/8" IRON @ GPS REF PT. AXLEY I NE 61.96.