#721405

/ 7-12-73 set C I M. over limestone & glass. (1)
(2) 1/16 corners

section corner 14-15-22-23 Viola 107-12
9-1893 Pr. Fraser P 519 no 485 S 14 R Palmer, L Frank.
found stone claimed to be where original corner stood; J Dubbs R Richardson
all parties satisfied that corner correct, left as found.

-16 E set stone 2 x 8 x 12 M & L 19.93 (1315.38 found
-16 N set stake M & L 20.12 1/2 (1328.25
-16 center S W 1/4 14 set stone 2 x 8 x 10 intersect lines found.

7-12-73 set random rail for electronic line and meas N.
dug with tractor, easily found exact recorded limestone
stone 5 x 6 x 30 - coming to chisel point down 14" from road top.

broke off 8" ∅ stone and placed on West side ∅ stone.
set C/M over balance ∅ stone
Corner 3' south center road.
" 1' east pole line south.
23.34 NW to conc nail on E side tele pole NE side
1328 S to center 1st trans power pole.
Electronic broken Northing to side
1/4 14-15 C/M over stone 2656.53 then
To C/M over stone at 10-11-14-15 2657.47
Record 2656.5 M & L
Meas E to stone found. R 1315.38 Meas with 300' tape
very near record ±
See 1/16 Card - 1/16 E and Center SW 1/4 14 with this corner.

Card #2 14-15-22-23 Viola 107-12. (2)
this card for 1/16 corners adjacent to above corner.
#721405
-1/16 east of 14-15-22-23
7-12-73. found broken 2x8x12 limestone as recorded.
16" deep set 3/4x24" rod as corner. about recorded
meas east of 14-15-22-23.
24.4 NE to nail in tele pole
98.45 SW to nail in power pole # 33355
Meas elect to 1/16 north 1325.28.
7-26-73 1/16 north moved .2'S 2.5E M&L
so final meas north elect - 1325.08. (no record)
then 1325.08 to 1/16 on E-W 1/4 line 14 final meas after moving
both 1/16 corners moved a little to be M&L both N-S 1/16 and E-W 1/4.

1/16 corner center SW 1/4 14 set inters lines. 9-1893.

7-12-73 easily found recorded stone. 2x8x10.
set 3/4"x2' rod over stone and referenced

7-26 found iron .2 south .25 east to mark
corner 1325.08 N & S on N-S 1/16 line.

35.44 E to conc nail on N side very old large
corner post of fences E and S (leaning south

91.11 NE to conc nail on west side PP 33350
corner in fair line fence east and well on west 1/2 road
± 3' W center road

Viola Section Corner 14-15-22-23 #721405 (3)

Count Notes on flip side

Cor't Notes W. A. Jones 1853

North sect 22 23

80.00 Set A section corner post to 14, 15, 22 23

Bur Oak 12 in N75 W347 1/4s

Bur Oak 10 in S40 W413 1/4s

Made A trench