5-18-1964 set b/M in blacktop above pipe. (1)
12/7/89 C.H.D. SET 5/8" BRASS PLUG IN E #721704

1/4 corner 17-20 Viola 107-12

5-1886 Hunter P409 No 398 L20 Fred Witte
found stone planted in center road as corner.
- Meas west 40.16 to stone found 2650.56
- Meas east 39.90 to stone found. 2633.4

6-1903 Armstrong P60B L20 A Neuman, John Daly.
found stone center road, 2 feet west of row of trees running south.
- Meas west 40.06 to stone found 2643.96
- Meas east 39.78 to stone found 2625.48

6-1924 Co H D B42 P10. found stake 4x4x10 & oak stake.
Meas east 2634.1. Meas west 2651.2

rev)

5-1933 J Kerr B 8 P17.
found iron pipe reset over stone (co Hwy Dept).
½" pipe 33' south.
- Meas east 2632.5 to NE 20.

5-18-64 J Kerr used corner set C I M over pipe
limestone still near corner as proof witness B8 P19.
Spike in 10" oak S 73.2.
Elec tele pole NE 87.5
hub in center black top road.
Meas east 2633.35

5-1923 C.H.D. Book # 37 page 18 use a Corner

4-1939 C.H.D. Book # 106 Page 2 - Found 1" Pipe top of limestone

Viola 1/4 corner 17-20 #721704 (2)

Govt notes on flip side

8/8/86 SET 3/4" PIPE W/CAP AT TRANSIT TIE TO 1/4 COR, PIPE IS ± 118' SO. OF ℄ CO. RD #2 & IN FIELD DR. SO. ± 12' E. OF N-S FENCE

TIE 3/4" PIPE & RT 115° 16' 13" MOST NORTHERLY & SHORTEST RADIO TOWER TO 1/4 COR 17-20 PIPE TO 1/4 COR 117.40'

8/11/86 REPLACED CIM WITH 1/2" IRON

12/7/89 C.H.D. SET 5/8" BRASS PLUG IN ℄ C.R. #2

RP's

CHD DISC. IN STUB TEL. POLE NW 147.06'

CHD DISC. IN P.P. SW 74.70'

Gov't Notes W. A. Jones 1853
East Random Between 17 + 20
40.00 Stl A temp. Sec. post
West on true line between Sec 17 & 20
40.03 Stl A temp. Sec. post bear S 8° 58' E
in Mound of Earth and Soil deposited
Charcoal Marks trench and pits
planted Osage Orange Seed W & S
of trench