X 7-27-1979 found part of stone - set CIM over 3/4" pipe (1)
12/7/89 CHD SET 5/8" BRASS PLUG #721705

section corner 17-18-19-20 Viola 10 7-12

5-1886 Hunter P408 No 399 & 18 August Fratzke

Corner missing. claimed standing a few years back by Mr. J Quackenbush and plowed out by road making (a stone). old settlers all agree road center ridge lays directly on line old corner also center E-W Viola road. Could not set corner by manual and come anywhere near so set stone & roads & E. & W. all were satisfied as Quackenbush had tree on SE corner of intersection he could measure to and declared stone set correct

See T.H. Book #14 → 39.75

- Meas west to 1/4 18. ~~40.75 = (2689.5~~ Should have 39.75
- Meas south to 1/4 E 19 79.77 (~~2624.82~~ 5264.82
- Meas north to NE 18 79.96 (40.03 to E 1/4 18 then 39.93. 2641.98 2635.38
- Meas east to 1/4 17. 40.16 a stone then 2650.56

~~40.06~~ to 1/4 E 17. P409 (says 39.90. OK

over)

5-1886 Hunter P 409 No 398 & 20 Fred Witte

found stone set P 40 8.

— 1/4 Cor east 40.16 to stone found. 2650.56

— south 39.90 To stone found. 2633.4

6-1924 Co H D B42 P10. assumed corner, set redhead. From W LT

16" C wood L.E. 48.4 - Hub L W 63.8 PI Sta. 476+25.2 Δ=0°08'

Meas east 2651.2 X-sections p.18 shows ± Trav. Rd to be N ± 4' of this elev.

- Meas West 2625.7

Assumed corner likely set at intersections

1939 RPs B106 PI Stake in fence line N 94.0 (PI Sta. 26+23.9 Δ - 0°07' LT.

Stake on shoulder (Trail Road) L L E. 78.1 on Transit line to stake set in

fence line L E total 135.6 - nail in tele pole SSW 87.3 ← 39' N. of other stake

Meas east 2650.8 - West to [redacted] corner 2623.9

Note: 47.0' To NW side of old B.T. St. - 24" cottonwood ℄ (Topog. P. 14 (LT & RT) 26+56 RT 36' 24" Cotton

---

6-1905 Co. Armstrong [redacted] BK B p.60 (Sec. 20)

fd Stone & Took B.T. - S.E. 76 1/2 Lks = 50.49 Cottonwood Tree

Meas. E. 40.06 To 1/4 17-20 Then 39.78 To 16-17-20-21

(2)

Gov't Notes W. A. Jones 1853

80.00 Set section corner post (Sec Cor 17, 18, 19, 20)

#721705

Bur OAK 9 in N 20 W 259 1K5

Bur OAK 6 in N ~~47~~ 47 E 362 1K5

Bur OAK 8 in S 15 E 168 1K5

Bur OAK 6 in S 35 W 203 1K5

11/21/78 Dug with the jackhammer from a pt 3' N. of a rod (found 1½' So & Co. Rd 2 and in & road South) dug North 2' and East 2'. There was 1½' of blacktop and crushed rock on 2' of clay fill on clean clay 3½' deep. Found nothing Dug to cover a point E & W at Hunters' prolated

location and N-S to reach ℄ of old road shown about 5' N of present ℄ in C.H.D. records

7-27-1979 Co. Surv. dug again with jack hammer dug from 1' North of Trav. Iron rod To 3' N. & From rod To 3' EasT - at 1.8' deep found Bottom part of stone leaning North. Stone was 5" high x 1½" x 9" and a hard limestone, other pieces of broken off were lying E. and N.E. of this bottom part. removed stone and used location of very bottom. Set a ¾" x 16" pipe with old stone parts around it and set a CIM (20") over pipe; flush with Blacktop surface (removed ¾" rod which was 1.81 So. & 1.95' W. of final Corner.)
Corner lies 1' N. & 1' EasT of ℄ Roads
R.P.'s - S.W. cor. of ∠ iron Cor fe posT - North - 42.33'
nail in E. side stub Tel. Box pole - N.E. - 39.44
C.S. Disc in Cor. fe posT (post leaning) - S.W. - 57.15'

SEC. CORNER 17-18-19-20 VIOLA 107-12 (3)
8/8/86 SET 3/4" PIPE W/CAP AS TRANSIT TIE TO SEC COR. PIPE IS IN FENCE LINE NORTH 0.8' E. OF N-S FENCE & ± 4' N. OF OLD TELEPHONE POLE. #721705
Q 3/4" PIPE & RT 53°08'16" SEC COR TO MOST NORTHERLY & SHORTEST RADIO TOWER IN SEC 26-107-13 151.49' PIPE TO CIM
12/7/89 CHD SET 5/8" BRASS PLUG IN & C.R. #2
RPS
CHD DISC. IN CUT OFF TEL POLE NNE 58.27'