1 11-12-73 set CIM over iron at corner found.
1/4 corner set sign on 12" oak - ±4' NW of CIm 11-15-78
17-18 Viola 10 7-12
#721706

6-1876 Hunter P298 No 293 S 18 A Whiting, D Howard.
Corner missing, took corner fence post of fences running
west and south claimed as corner. (no meas)

5-1886 Hunter P408 No 397 S 18 August Fretzke
Missing, found post hole claimed as corner P298.
set stake with stones on east & west sides on post hole.
- meas south 40.03 to stone set
- meas north 39.93 to stone found. } due north
1/16 west set undescribed corner (19.81) 19.91 in field book N 89° 50' W
1307.46
over)

¼ corner lies 14 lks east of direct line of Section cors.
9.24'

11-12-13 drove to corner found heavy angle iron post in 2' dia concrete holding fence E & S-W. common N. corner pulled south by fence pressure, dug north of post and found 2 small vertical limestones about 8" long 6" apart with wide parts N & S like having been set on E W sides wood post. set C/M over iron between stones. Meas west Eles on 30' ⑤ N. corrected 2621.89. R 2614.92 believed corner where records show it by meas. of N & S sides of E½ L18 and 9.24 record E of line 43.75 NE to L E corner heavy Conc foundation & oldshed 62.0 NNW to Center easterly of lone 8" pipe the

Viola 1/4 corner 17-18 #721706 (2)

Govt Notes on reverse side

Gov't Notes W. A. Jones 1853

1/4 corner 17 + 18

40.00 set a section post. { Bearings omitted }