6-3-1975- fd ½" rod set CIM in its place & checked Ties.
#72.1905 (1)

X

section corner west 19-30 Viola 107-12.
east 24-25 Haverhill 107-13.

6-1873 Hunter P227 No 230 & 30 E Derby, D Madden.
found short stake in ground with stones sunk arround it
tested stumps of B trees still in place, found corner correct.
– Meas south 39.53 to fence corner gneral correct & accepted.

5-1874 Hunter P242 No 243 & 25 & Fowler, M M'Elligott.
found stake & stones P227
– 1/16 south set stake M & L 19.77. N10°E for line west.

7-1874 Hunter P258 No 259 & 19-30 John Nevins
found stone set and described P227.

over.

- 1/16 south set corner M & L 19.76. N 10° W Line E & W.
- 1/16 west set perm stake M&L 19.93 S 89°50' W for line north.
- 1/16 east set stake on line and prop meas to N'4 30.
- meas east record 38.76, actual 38.05. thus.
38.76 : 38.05 :: 20.00 : 19.63 leaving 18.42 to 1/16 east.
- 1/16 north set stake 19.98 1/4 M & L N 5° W for line E & W.
- set 1/16 corners at centers SW 1/4 19 - SE 1/4 24.

1937 Co Hwy Dept B 92 p78 found 6x6x14 pointed boulder.
Sp 12" pine NE 66.5 — Sp 15" pine SE 51.8
found vertical L S 4.3' S and .8' E of boulder. which was
aneed by Mr Weis as corner. ran directions
meas north 2636.93 3 times. using W 1/4 18 as north point.

Card # 2. B 92 P 18 Co H.D. (2)
721905

section corner West 19-30 Viola 107-12.
East 24-25 Haverhill 107-13.

Detail on Co H.D. B 92 P 18. at this corner found limestone 2"x10"x12" set on edge about 1' below top of road. Mr. Wm. Wiese said he was sure this was not the cornerstone. He had seen the cornerstone several times and it was a hard head with a wedge top. Wedog some more and finally found a hard head about 6"x6" at the top and larger at the bottom about 14" long and with a wedge shaped top and a notch in the center of the wedge. Mr Wiese said he was certain that this was the stone and to his knowledge it had been in over 30 years. This stone is 4.3' north and 0.8' west of the limestone. - ran transit line from this boulder north to limestone bay corner post at W¼18 7910.8; set W¼19 on line

over)

and 1/3 distance 2636.9 a steel pipe also
at West 18-19 a stone 4 x 10 x 15 set 2/3 dist & line.
9-10-68 J Kerr found W'4/19 with tractor - limestone of
exact recorded size - Mear south - found county boulder
and co stake at 2638.7 R 2637.7 Co R 2636.93
- dug over area big enough to cover any chance of corner
other than being Boulder found. W'4/19 stone to ℄ Bldg 2639.2±
- set 1/2" rod where corner was found. (stone on east side
road - will set by C.I.M. later
RPs to rod - ~~radius water penetrating~~ Caster Pine-10" N. side of road = E 65.5 ~~32.0~~
N. SE corner metal shed SE 103.2.
fence running east S. 1.0
corner corner center road north & south.
C. Surv. Disc. in PP # 19447 S.S.W — 77.76
6-3-75 Found John Kerr's 1/2" rod - Removed and set C.I.M.
(Did not dig down to stone) Corrected ties above

Section corner W. 19-30 Victor 107-12 (3)
E. 24-25 Hamhill 107-13
#721905

Bore Notes.

80.00 Set post corner to sections 19-24-25-30

B. Oak 14 N 3 W 111

B. Oak 16 S 3 W 317

B. Oak 6 S 3 E 165

dug 8 inch