/ 5-28-1974. Set a 5'x 1½" iron stake as the
4-21-88 Correction of Corner → CIC/P² #722105 (1)
section corner. 20-21-28-29 Viola 107-12.

5-1886 Hunter P409 No 398 L20 Fred Witte
found orig stake standing by fence in slough. Tested OK
by LWBT standing and stump (marked) & LEBT.
- Meas West 40.03½ to temp M&L stake set.

3-1896 W Fraser P593 No 589 L21-28 Viola 107-12
found stake corner P409.
- Meas east 39.83 to M&L iron stake set.

6-1902 C Armstrong P58B L29 D&P Daly-A Newman
corner washed out. Albert Newman anere surveyor says fence
over

from NW cor 29 over 1/16 east to N 1/4 29 where stake was found
claimed 2' too far west. Total meas to fence north. 79.92.
- meas west to N 1/4 29 a stake set dep 39.94 1/2.
- meas south. 39.89 to temp stake set by meas-line west

Correction of Corner (1988)

5-28-1974 Set a 5' long 1/2" iron. shaft

Reset the corner at the intersection of the East line of the section 29 projected North + the North line sec 28 projected west. — Note All done by elec traverse — see drawing.
Corner is 6" above ground, 2' E. of N-S. fence + 10' from the creek.

Center 18" burr OAK	N 86° W.	87.2'
Center 18 burr Oak	S. 59° E.	77.5'
Co. Surv. Disc E. side 6" cedar post	S. 8° E.	53.9'
Center 15" willow	S. 85° W.	35.3'

Viola Section corner 20-21-28-29 (2)

Gov't Mons on flip side #722105

4/21/88 Roger Brand and Associates trav. revealed shaft set in 1974 was not placed @ intended location. Dug in spot 4.23 E. & .2 So. found N-S Fence post lying down 2½' deep by 4' diameter. Set C1C/6" Telspar @ location since it was on line from Rp's SPIKE in N.W. side Maple cluster (4' diam, 6 trunks) NE 21.53'

Spike in Ely side 18" Burr Oak (with old 1974 blaze) SE 71.49'

Spike in West side 10" walnut Sly 64.89'

the SE COR. 21 OVER THE S¼ COR 21 AS PER W F. SURVEY No 589 & IT CAME IN OLD FENCE LINE AS RECORDED BY HUNTER IN SURVEY No 398 & MENTIONED BY ARMSTRONG IN SURVEY R 58 B, COR. IS IN LINE WITH FENCE RUNNING BOTH FARTHER NORTH & SOUTH, ITS 83 E OF N-S FENCE BY COR. WHICH BOWS WEST AROUND CREEK, SET SIGN & POST 3.35 WEST. REMOVED OLD SHAFT

Good Woods W. A. Jones 1853
North Sect 28+29

40.00 Set [redacted] post
Bur Oak [redacted] N [redacted] E [redacted] Ks

80.00 Set A Section corner post to 20 21 28 29
Bur Oak 10 in N 42 W 15 Ks 120.12
Bur Oak 17 in N 9 E 360 Ks 237.60
Bur Oak 20 in S 70 E 100 Ks 66'
Bur Oak 7 in S 8 W 191 Ks

412.188

