#722204

1/4 Corner 22-27 Viola 107-12

unrecorded survey June 2, 1885 Tom Hunter Book # 14

Found stone as set by D.S. Hillman when original 1/4 post stood. - one of the bearing trees being still there when stone was set according to R.E. Cunningham

1/16 south set stone

State Hwy #42 R/w map indicates 1/4 Cor is 48' East of ℄ P.I. and in ℄ of old Roadbed which was assumed

To be on N-S 1/8 line in Sec. 22

11-18-76 Set CIM over 1/2" x 2' rod in bottom of E ditch of Hwy #42 on line from 1/16th N of Center 22 over Center 22 and in line with fence East

Dug in bottom of ditch but found nothing.
R.P.S & P.I. rod in S. bound lane of
T.H. #42 N 5 W 44.77'

Spike & CSD S side 18" pine (5' E of fence on E side of road) E 45.45'
CSD SE side telephone pole stub
unit box NE 62.00

11-19-76 Dug at 40 rds E of ¼ Cor 22-27 and on line to SE 22 for stone set by Silas Hillman in 1872 as recorded in 1890 little w file. Dug 3' E-W by 5' N-S under E-W fence. Found nothing.

Viola 1/4 corner 22-27 #7222204 (2)

Govt Notes over

Gov't Notes W.A. Jones 1853
East Random 22+27
40.00 Sct A temp. section post
West on true line Between Sect 22+27
c/0.01½ Sct A sect. post bar S 27' E
Bur Oak 9 in N 26 W 16 lks
Bur Oak 6 in S 7½ E 111 lks