8-10-73 set 1¼ x 42" iron shaft over stone found.
final corner (1)

Section corner 22-23-26-27 Tula 167-12.
#722305

No known records, also no known records on long limestone found at ¼ 22-23 showing accurate work had been done in section 22 or 23.

- 8-10-73 found limestone 2 x 9 x 18 over 5 feet down in original black soil lying nearly flat.
- Most stone vertical in center of where it lay with old post stub by its side - post stub found above stone and some 1½' south showing corner of fences once were in area.

over

set 1¼" x 42" solid iron shaft with piece of broken casting on top end of shaft up 8 or 10 inches.

10' N to cone nail on east side new 5" round cedar post of fence north

67.3 S to PK nail in knot on west side Transmission power line pole up 18"

Cook Woods W. A. Jones 1853 set ± 1/1 cor

60.00 set a section post in mound with brick broken stone & charcoal

Apple 30 set, no original bearing trees

Planted Osage orange & stone mark trench & pile of stones

80.00 set a section corner post to 22, 23 & 26, 27

Bur Oak 9 in N57 E 181 lks

Make a Trench

#722305 (2)

SECTION CORNER 22,23,26,27 VIOLA 107-12
10/15/90
R. Brand & Assc. Fd iron set yellow
fiberglass post near. Took RP.
Brass disk in E side of P.P. So. 107.45'