1 4-23-13 set C/M over shot rod with orig stone on South side and 2" pipe up 18" Sq stone (1)

#72264

1/4 corner 24-25 Viola 167-12

6-1893 W Fraser P514 no 481 S24 C, Wichke found stone placed as corner also S E B T proving stone correct as corner.

1/16 North found stone here but 11 lks 7.26' too far west and 1 link too far north -.66'
set 2 stones N & L 19.96 1317.36.

1/16 west set temp point for line north N & L 19.95 1317.93/2.

1/16 center S W 1/4 24. planted 2 boulder stones with limestone 2x4x18 on top at inters lines found stone 8 links too far west

7-20-73. ran elect traverse from 23-24-25-26.
To corner found. by E W 1/16 line road ℄ N½ L 25 after
finding stone 7-23- tied corner direct into traverse.
- stone a 5" □ top limestone "long about 2' east
℄ N-S fence some 90' south ℄ Creek and 60'± north to top ℄ old quarry edge. on crest ℄ hill.
- set C/M over short iron with stone on south side with 2" x 4' pipe up 20"± on L side.
61.9 S SW to 20 D on W side 20" old oak on crest ℄ hill. Meas slope from nail head to same height at C/M.
31.5 E to 20 D N side 5" burr oak up 4' level.
Meas N- ~~2658.87~~ 2633.42 then ~~2619.29~~ 2623.94 to 1/4 13-24. found stones brk plans.

Vilas 1/4 corner 24-25 #722404 (2)

Good Marks out

5/19/88 1/4 24 25 10T 12 FD CIM IN GOOD COND.
SET SIGN & POST 1' NORTH

Govt Notes W. A. Jones 1853

(2)

East Random 24+25

40.00 Set a temp sec post

West on true line between Sec 24+25
Var 3°50'E

39.77½ Set a Sec. post At average distance
from which a Bur. Oak 8 in diam
S 35 E 102 lks marked A trench