1 7-31-73. set CM over orig stone with iron pipe E. side of stone. #722504 (1)

1/4 Corner 25-36 Viola 10 7-12 urban, Beck

6-1893 W Fraser P517 No 483 & 36 Ourmby.

found stone as corner claimed by settlers as true corner

1/16 south set stone 2x15x24 M&L 20.00

1/16 east set stone 3x6x18 M&L 19.98.

1/16 center NE 1/4 36 set stone 4x5x30 at inters lines

7-31-73 dug in center road near meas of 2638' from E 25-36. found limestone with top of near 4"x6" of some depth in center road. at 2639.5 by 300' tape measure - will meas electronic. Covers

drove 1/2" X. 12" pipe on E side stone with C/M above. corner would come .28' north of direct line and about 2' west of midway. will mear entire mile electronic elect meas W. 2635.06 mear tape east 2639.5

44.45 due N to 20" on E side Center 36" burr oak. up 2'
62.2 N.E. to conc nail on S E side tele. pole.
31.15 SSW to Conc nail on E side PP # 513

Lee Card #2 for 1/16 E.

Card # 2. 1/4 25-36 Viola 107-12 (2)
#722504
1/16 corner between 1/4 25-36 and east 25-36.
R stone 3 x 6 x 18 set N & L 19.98 1318.68
Meas with 300' tape from E 25-36 to 1320'
7-31-73. dug with tractor and easily found recorded
stone down about 2' some. 3' north of center road
89.5 SEly to PK by ground wire SW side PP 39425
142.28 NEly to PK on SE side tele pole up. 3'
9/25/92 County surveyor fd Cmt in good cond.
New RP's mon 1½' south of ℄ E-W Road
Conc mon to P.P. #513 was 31.20'
20d in 36" oak north 44.44'
Cont Notes →

Gov't Notes W. A. Jones 1853

East Random 25 + 36

4/0.00 Set A temp Sec. post

West on true line between 25 + 36

bar S 1° 32' E

2/0.00 Set A Sec. post in Mound of Earth, Soil, deposited charcoal / marl trench - pits planted Osage orange seed NW & SE of trench