No records.
8-16-73 set C/M over limestone found & iron below
9/25/92 set short C/M over C/M #722604 stone.
(1)

1/4 Corner 1/4 26-35 Viola 107-12.

8-16-73 dug with back-hoe without measure or research, Mr. Bierbaum, retired pioneer farmer remembers survey about 1908 when many points in section 26 were found and replaced with stones.
- found diamond shaped limestone in clean soil about 5" thick with 1/2" mag in center pointed on both bottom and top and 20" long.
- lowered stone with iron below and C/M above.
Meas west to 1/16 stone found El. 1308.05 then 1308.03 west to stone found at 26-27-34-35
for 1/16 west see 26-27-34-35. (Cont. notes over)

RP 1/4 26-35 Viola 107-12

37.33 S.W. to conc. nail in N W side tele pole.

86.82 N W to conc nail in S W side

Power pole # 391.

Corner very near center road in line fence north.

Mr Bierbaum claims a limestone in place at Center 26.

Gov't Notes W. A. Jones 1853 East Random 20 chs

40.00 Set a temp set. post

West on true line between sec 26 & 35,

bar 1° 26' East

39.93 1/2 Set a section post in a Mound of

Earth & set deposited charcoal, & made

trench & pits. Planted Osage Orange

seeds N & S of trench

1/4 CORNER 26-35 VIOLA 107-12 (2)
#722604

9/25/92 County Surveyor found CIM with broken top down 12" deep Set shorty CIM over CIM. The corner falls in ℄ E-W C.R. #107, Rp's CSD in P.P. 49087 N.W. 86.32' & field drive north, East 25½'