No records. 26-27-34-35 Viola 10 7-12.

8-16-73 set C I N over ½"x 2' rod with stone found placed on north side. #722605 (1)

8-16-73 Meas elect from stone found at ¼ 26-35 West. found 1/16 stones with piece of cast iron sleigh shoe on west side used limestone as corner. placed iron rod over stone as corner.

RP 1/16 corner iron.

Corner lies 2' west center road north & east line & road.

but Corner south several feet of common land fence west. as land on both sides owned by Clarence Burbaum.

30.35 4.5' N & W to M dec cap & conc nail & side PP.

34.24 NW to pepsi Cap & Conc nail NE side tele P. # 384 Cover

found limestone 3½" X 7/11" X 15" at section corner 26-27-34-35 on exact line and double mons ¼ 26-35 and 1/16 stone west. - set C I M over ½" x 2' iron with stone on N side C I M down 15" at least. old wood post on W side. R P S.

2.5' E to eye line Trans power poles N & S.

~~34.4. 2' E & N to 3 pennies in crack on SW side power pole in crack up 3' ±~~ 5/16/88 FD C.M DOWN 12" IN FENCE RIDGE, FENCE GONE, P.P REPLACED

~~Good swars W. ft. logs 1853 40.00 - set temp 30" post 77.81 - intersect C106 line 40 lks W of corner 34.93 -~~ DID NOT HAVE CHAIN TO RETIE

Viola Station route- 26-27-34-35

(2)

#722605

Gov't Notes W.A. Jones 1853

80.00 Set a Sect. Cor post to Sect 25, 26, 35, 36
in Mound of Earth and Set
deposited charcoal, made trench
and pits planted Osage Orange
Sect NW-SE at trench