X 5-27-71 found orig Limestone. #722705 (1)
5-28-1974 Set CIM over hub and ¾" rod
section corner. 27-28-33-34 Viola 107-12.

3-1879 Hunter P354 No 346 L 34 E A Doty
found stone in center road, stated stump of NEBT
and places where LE & LW Btrees had been grubbed out.
these proved stone to be correct. no mons to R.R.

5-1880 John Fraser P364 No 355 L 33 E Derby etal.
found stone agreed by E A Doty as set by Mr Hillman
at site of gov't stake. ~~stated~~ by Hunter P354
– mons west 39.70 To stone set from stake this survey
N89½E

4-23-71 Co surv. proj line from NW 33 over N¼ 33 east. Meas from N¼ 33 R 39.70 (2620.2 set P.O.T marks at 896.5, 1494.0, and 2616.25 - station of fence south 2628.7 - field line south 1330' indicating same be E¼ 33 to center Meas 1969 that ½ fence north real short. 1301 of 2627 total to C1M at Center 33 and total of 2636 to inter 4 way fences. - dug in center road in line fence south, found post at 26" (hard) Mr Brennen figures corner dugs if in place at all, road starting to slope toward sharp grade east. Might get some 100' west - will dig with cat.

5-27-71 Co surv. removed entire road to clear clay 4' or more E & W of fences N & S. - post south ⅔ of road than remainder found 10" of 2x10x10 very vertical limestone with long part E & W. a good 8' from present road center. - will grade road on orig line of NW 33 over N¼ 33 which intersects evergreen tree line row at ¼ corner on hwy 42. Card #2.

#722705

Card # 2 27-28-33-34 Viola 167-12 (2)

road here to be cut as much as 4' so removed stone set 2x2x16" hub with top fully 4' below road surface & hole filled with road surface rock - wire brads on top of hub.

- a tree used as RP PoT may remain - set 20 D on SE side in small crack of Burr oak ENE 87.35'

set 3/8 x 4' rod 6" west of woven wire fence running south at 100' from stone found with stone pipes by rod.

- set transit on rod to angle from corner to beacon light on radar tower 116°53' N to W

- corner line 8.65' North of center to be graded.

at 2628.6 east of 1/4 28-33 R 2620.2 John Grant Typical

Gov't Notes OVER

5-28-1974 Co. Surv.

dug hole with Tractor To locate wine bottle over 2" Sq. hub. reset wine bottle & set 3/4' rod over it with CIM over rod. - 8' N of ℄ E-W Road

R.P.'s - C.S. Disc in Tel. pole - S.W. - 42.71
C.S. Disc in Gate post - S.E. - 53.43
C.S. Disc in 6" oak Tree (blazed) - N.E. - 35.62
20p Spk in 15" oak Tree - E N.E. - 87.4

Govt Corrs W. A. Scott's 1853

[redacted]

80.00 Set a Section Corner Post 27, 28, 33 & 34
B. Oak 7 in N 52 W 207 lks
B. Oak 10 in N 46 E 170 lks
B. Oak 9 in S 70 E 123 lks
B. Oak 8 in S 55 W 99 lks