/ 8-16-1968 set C/M over stone & glass. (1)

#722904

1/4 Corner 29-32 Viola 104-12.

6-1873 Hunter P226 NO 229 S32 J Madden C Shellman.

found. orig stake in mound at fence corner.

1/16 south set stake M&L 19.92 1/2 N 10' W

6-1902 Armstrong P.58B S29 D&P Daly, A Heuman.

examined area carefully by digging in area of line of fence running north. found nothing- mease south sec. line 29 80.26. set limestone 4x14x28 M&L. corner came 10 "264.58 east and 51 lks south fence corner of fence running north.

over)

– 1/16 North, set limestone 2 x 10 x 20, pointed at upper and lower ends M & L 19.90 corner came 4" east of fence row running north.

– Meas east and west M & L 40.13. (2648.6

8-16-68 J Kerr dug with tractor found stone easily set C/M over stone & glass.

– SW corner 10" conc corner post NE 38.5
– bottle cap center 8" cedar post 5' west of N 32.8
– " " west side power pole No 20532 NW 44.3
– corner lies 1' north center road 5" east of fence north.
– Meas east to stone & C/M 2653.5 Record 2648.6
– " west " " " " 2653.0
– corner placed on section line – corner about .3' northeast line

Viola 1/4 corner 29-32 #722904 (2)

Govt Notes W. A. Jones 1853

40.02 1/2

Set a 1/4 section post in mound of earth and sod, deposited charcoal made trench and pits, planted Osage Orange seeds Wds of trench