1 5-29-1974 Reset corner M+L ①
10-7-74 - set C.I.M. over 3/4" x 18" rod.
at 2692.96 by elec. traverse
punch hole in top center 29" C.M.P.
1/4 corner 29-30 Viola 107-12.
#722906

6-1873 Hunter P227 No 230 S30 E Derby - D Madden.

1/4 corner missing, no evidence or knowledge by digging only that E H Derby avers under oath he set a cedar post (still standing) 3 paces west of corner when it stood as corner post of fence running west.

set new stake by this evidence, be convinced it would be as near to orig location that it could be set.

- 1/16 north set stake M & L 20.03 N 1/2° W
- Meas south 40.00 or 33.18 to NE cor school yard.
- bearing of E-W 1/4 line S 89° 40' E (over)

6-1902 Armstrong P58B L29 D+P Daly, A Newman.
found cedar post mentioned P227. dug 4' wide + found
nothing until nearly 14' east of this post. not knowing if
post had been moved or if 3 posts would cover 14'
ran N-S line 29-30 - meas 99.86.
M & L fell just 14½' east of cedar post in due line
of fence west. used great care in meas & setting this
line - set limestone 5 x 14 x 26 M & L. 39.93.
-1/16 North set limestone 3 x 8 x 14 M & L. 19.97 ±
Iron 60' south of fence line west, in line fence east. + in line
balsam poplar running south.
-1/16 South set limestone 4 x 8 x 16 M & L. 19.97 ±

#722906 (2)

1/4 corner 29-30 Viola 10T-R

5-22-74

Dug at corner location. Corner falls under a 24" C.M.P. running E.+W. there is a lot of dumped in rock etc. around the culvert.

5-29-74 Remeasured the West line 29+ at the corner N+L at 2642.95. Set a punch hole in the top center of a 24" C.M.P. 1.25" from the West end of the culvert.

Gov't Notes over

R.P.'s

N.W. corner of a conc. cor. post E. 92.23

Punch hole top center driveway C.M.P. N. 65.07

Punch hole W. end 28" C.M.P (oval) S.S.W. 25.75

10-8-74.

C.H.D. removed cul. - placed a New one further South. Reset a C.I.M. over a 3/4" x 8" rod - took the one additional R.P. listed above

Gov't Notes W.A. Jones 1853

40.00 set a sect. post in Mound of Earth + sod deposited charcoal Made trench + pits planted Osage Orange seeds E + W - 1 trench

Viola 1/4 corner 29-30 #722906 (3)

Co. 1 W-15 S. C.

Gov't Notes W. A. Jones 1853 East Ramsdem 27+32
40.00 Set A temp sec. post
West on true line between sec 1 27+32
bar 9° 08' E
40.02½ Set A sec post in mound
of Earth and soil deposited charcoal
Made trench And piles planted
Osage Orange. Orange sec 1 Nts of
trench