10-27-1966 set C/M on 1½" x 12" pipe, small piece of orig stone on East and west sides 6" below mon. ①

#723004

¼ Corner 30-31 T 10 S R 7-12.

5-1872 Hunter P206 No 214 L31 Pat 4 Enos Daly. found fence post center road avered by E Derby and J Madden under oath that this post was replacement of orig stake when in place - set stone 2½ x 7 x 20.

- set stones west 5.91 for one then another 5.91 (390.0') for the other in line sec corner west. (a stone) then 26.25 (1732.5 west to sec cor total 2512.5
- mens east to sec cor stone 39.57
- set stake south 11.35 (749.1 on N-S ¼ line

6-1873 Hunter P227 No 230 L30 E Derby, D Madden 6/23

found stone P206

10-1966 J Kerr. dug for corner after meas from ℄ road in line fence south west. checked 1st fence west record 390.0 actual 385.0 - 2nd fence record 780.0 actual 781.5 placed 120 D at 38 chains 2508. - record 2512.6. this 120 D as. NW 31 lies 6.5' east of ℄ N-S road. and. 1.0' west of east edge of traveled road surface. and center line of road East.

— on digging for corner found. the bottom 6" of the recorded 2½" x 7" stone on the clay below road. left pieces of this stone on E & W sides of 1¼ x 12" pipe with C/M on top. — 60 D on SE side 14" pine. the most westerly of row of pines. NE 58.3 — Bottle capon W side corner post @ 37.6' — corner lies 2' north ℄ road. and. 1.0' west of fence line running south.

Viola 1/4 corner 30-31 #723004 (2)

Corner Notes

Sept, 1863 P.C Compton Pg. 77 NO. 114 Shows 1/4 Corner used to set Center Sec 31 at intersecting Lines used to set Property Corner west.

Gov't Notes W. A. Jones 1853 West Random
30+31

40.00 set a temp sec. post

East on true line between sec 30+31

38.56 Set a sec post in Mound of
Earth and Soil deposited Charcoal
Made trench and pits planted
Osage Orange seeds Wood trench