10-1968 — Left C/M Put card-ac SW 31 Viola (1)
11-20-74 - Set a 1½" P&C on conc. 0.87 South & N.O. P.Z.
Section Corner Township Corner
NE 1 Marion 106-13 - NW 6 Eyota 106-12. #723105
SE 36 Haverhill 107-13 - SW 31 Viola 107-12.

5-1871 Hunter P184 No 195 L 6 N & W. Elliot.
found stake driven in center road even with surface.
1/16 east (7.91 (82.06) chex 19.86 (13.2.08)) L 89°50' W. Total 2494.14.
1/16 south M & L 19.95. N 25' W

5-1872 Hunter P205 No 213 L 36 Fowler, Brennan.
found stake center road with boulder stone by its side.
- Meas north 39.88 to stake "post" M & L set.

5-1872 Hunter P206 No 214 L 31 P & E. Daley.
found stake & boulder P205 removed set stone 3 x 9 x 15
over.)

– meas north 39.88 N 1/4° E.

1/16 east set stone center road. 3 x 8 x 15 M & L

18.89 as ded dictated not govt prop N 89° 55' W.

12 46.74 total half mile 2493.58 1872 – 2494.14

No record of engraved stone ever found.

Co Hwy Dept 1935 B 88 P 76 sec 2 & 31 for further info.

found stone laying flat – farmers claim to have seen same. Dec PP NW 95.75 – Dec PP SW 82.75 fence running south W 1.5' Sta 291 + 72.2 sec 5 & 31

10-66 J Kerr dug thru black top 4' deep found flat stone too deep in small hole to remove.

Set C I M over referenced Co Hwy point

see E 1/4 31 107.12 2637.5 ± on E line Sec 31 Viola

8-26-68 proved corner correct after finding NW cor 31 viola (no double)

#723105 (2)

Card # 2 township Corner. SW 31 Viola 107-12

8-7-73 found C/M broke in half. removed bottom half. to 1" pipe below C/M. will dig with cat later for more. took 2 references

135.65 NNW to Co diec in SE side huge pine

147.33 NW to nail in E side huge pine in yard

8-9-73 dug with backhoe, found flat stone on top of engraved monument placed on top by mr Ehret to protect the many years ago. removed stone and placed in office for exhibation purposes as corner would be buried many feet. placed C/M over 3/4" x 20" pipe deep

over

RPs of final engraved monument.

| | CIM in place. | actual monument. |
|---|---|---|
| Disc on power pole NW all removed. | 95.65 | 95.87. |
| Disc on power pole SW " " " | 82.82 | 82.45 |
| Co disc SE side huge pine NNW | 135.65 | 136.5 |
| Co 60D bench nail S side base pine in yard. | 147.33 | 147.65 |
| Mean changed a little south .8± | East .3± | |

11-20-1974 Co Surv

Set a 1¼"-pipe as the corner in New C.R. # 9 (concr.)

Corner falls 0.87' South of C.H.O. P.I.

Additional R.P.'s

| | | |
|---|---|---|
| C Surv disc in top S end cattle pass | S.W. | 67.7 |
| C Surv disc in top N end cattle pass | N.W. | 68.28 |