X 6-2-1970 set ½ x 2" rod in place of wood hub and over orig limestone 11-20-N set 1½" pipe as cor. in conc

¼ Corner south ¼ 32 Viola 107-12. (1)
north ¼ 5 Eyota 106-12. #723204

6-1873 Hunter P226 no 229 S 32 Madden, Shellman. found on digging in center of road in line fence south, very badly rotted stake, set stone 2 x 12 x 25 with edges north & south. below road surface.
1/16 east set stake M & L 19.99½

1937 Co Hwy Dept B 88 P. 12. & P 96. Linn fence N & S. found cedar stake. Sta 369+65.2.
FP SW 66.0 — CO. FP S. 32.8
Meas west 2643.5 — ~~east~~ 2642.6 to SE 32. (over

6-2-1970 Co surv. dug thru blacktop and sub-base and 2' of black sub-grade. found short stone as recorded with wood stake, well rotted but prm on each side.
- set 1x2 wood hub where old stake was and 1½"x20"± iron pipe on W side stone. placed much glass etc. also ½"x 2' iron rod near road surface. (as temp ref.) no possible practical references which would survive grading. Placed ½"x 2' rod 100' north on transit line to exact steel post of fence line some 2000' north after fence comes out of low area. this puts rod hardly 0.1' east of tight fence wire. former plows quite close to fence. less than 2'
Meas west to S¼ 31 found 6-2-70 5284.0 - east to rod S32-33 as found 2640.0' - west to S31-32 found 6-3-70 2640.9
RP rod to heavy angle corner post north 33.0' N ↑ ↖ tie
Meas east to new ½" rod 2640.12

(2)

South 1/4 cor Sec. 32 107-12 Vicinity

North 1/4 cor Sec 5 106-12 Eyeth. #723204

11-20-1974 Co. Surv.

Set a 1 1/4" pipe as the cor. in the ℄ of the concrete on C.R. #9. Corner falls in the line with the fences North + South.

R.P.'s

Punch hole E. end 18" C.M.P.	S.E.	51.15
Punch hole W. end 18" C.M.P.	South	45.07
Punch hole W. end 18" C.M.P.	N.W.	52.03
Angle iron cor. post	North	67.28

Corner Notes

32.00 Set post + drive channel stake for 1/4 cor. Built mound + rock. Planted SE Pine + NE Hackberry.