1 11-6-70 found stone set 3/8 x 4' rod on S side. (1)
#730509

1/4 corner Center 5 Haverhill 107-13

3-1898 H Fraser P 620 No 563 S5 H Hendrickson. Dundee, N Mich

set stake and sandstone 6 x 8 x 20 at intra lines.

-16 west set stake in pile of rock M & L 20.01

-16 north set stake marked and stone 2 x 9 x 24 on 1/4 line and 20.03 north then 20.89 to N 1/4 S 1321.98 1378.74
with stake set M & L for line each set between above 1/16 corner and twsp line.

North 1321.98 then 1328.84

-16 center NW 1/4. stake unless lines - 19.95 W of 1/16 cor

10-30-70 Co Surv after running 9 miles from C/M at NW 5 and NE 5 used nail set at 2626.8 from west (record mea) for 00 brass d.
- nail east 2625.75 - line came 5.65 S at NW 5 so cor to be M & L would go 2.82 N and .53 west / set 120 at 1378.0
- found 1/16 stone south recorded sign with wood stake on W side
11-6-70 Cont line south - meas from 00 south 497.0 on W side N-S fence - set random nail east 14' E of fence cont south with nail at 900 and 120 at 1378.0
- found that nail was 1.6 N of 497.0 or 495.4 S of 00 nail or +2.82 or 498.22 S of such wit set at N 1/4 5
- 120 D on random E at sta 903.43 S of such wit cor.
- 1/16 cor 1378 nail was exact opposite 1/16 stone true sta 1379.22
- random 43.0' E 1/16 stone - 45.95' E of stone at center 5
- this made N 1/4 5 40.05 E to random or 1.63 E of 2626.8 nail or 2628.43 west to NW 5 and 2624.2 E to NE 5
Point set on random some 40' S of 1/16 or 19' W then set back E 62' to parallel line E
19' W + 43' E = 62' 16.05 W + 45.95 = 62.
Cont line: E 45.95 E 43 - E 40.05
Lee. Card # 2

#730509 (2)

Card #2 Center 5 Haverhill 107-13

11-5-70 Cont meas south with 120 at 1378.00 over line 14' E of N-S fence. tied up at 803.3 opposite (5) west to right on 14' (5) W at 1/16 stone - cont line and meas south tied up at 1323.09 which came 16.05 E and .15' S of recorded stone found easily 2' east of Corner part under fence 2' deep. - at 1378 120 D nail & 1/16 stone same. meas was 1322.94 R 1322.0 about 1' over. N'ly came 1379.22 R 1378.74 set 3/8" x 4' steel ele fence post up. 8" east of stone. .48' over. left as is. Came in bottom of deep ravine on N side ravine - found Higham rod at 699.57 - 36.63 W of random. should be 41.55 W of random at 699.57. - found old concrete base where 6" or 7" post once stood

(over)

this post 14.05 N and 40.85 E 703.43 on random.
would come 689.38 from true final N 1/4 S and .65' east.
A correct line taking center old post hole.
record calls for stake at 689.37 or exact N & S
and near west edge concrete structure.
- at center a 20" C I N wood set atop recorded sand-
stone when placement is made at later date.
- true computed angle at N 1/4 S east to South 89°19'30"
- angle on random 89°15'30" E to S. 2.82 S and 5.8' W true term of randoms.

summary of N-S 1/4 line N 1/4 S south to center 5
line measured by eye line 14' E of fence line to 803.3 south of 1/16 stone then
switched to match 14' @ W at 1/16 stone & projected south to E-W 1/4 line where
14' @ was 16.05'. Line already measured was pushed east of 1/16 corner 43.0'
and point set south on random some 400' to hill crest & then @ east 62' and cont.
North to N line 25 checking Hyfem prop corner and Cone corner found at 689.37'