4-8-1963 set C/M in place of orig stone (1)
#730806

1/4 corner 7-8 Haverhill 107-13.
6-1857 Hunter P33 no 53 N 1/2 L7
used corner
-16 west set corner N & L 20.17

10-1877 Hunter P322 no 316 L7 J Donnel & others.
Corner post averred to be where orig corner stood.
all B trees grubbed and gone., checked corner by line &
meas from center L7 over 1/16 east P33. by doubling
distance on line proved corner post over true corner.
-16 south set temp point N & L 20.05
Cont notes over -

4-1963 J Kerr.
found limestone 1.5' north of corner post. no rock in area, ground level & deep soil. accepted alone as corner although no real positive records.
set C/M in place of limestone.
- Meas line south to SE cor 7. set prop corners.
Good Nails W.B. 1/4 bl 1953
10.00 S+1 & S+1. post
Bur OAK 12. in 530 W 173 lks
Bur OAK 13. in 560 E 240 lks

Feb. 1858 T. Hunter Pg. 49 No. 72
1/16 west 20.17 chs m&L to Cen sec 7
See Survey for breakdown of S 1/2 Sec 7

#730806 (2)

1/4 CORNER 7-8 HAVERHILL 107-13

12/12/89 WHKS FD CIM SET SIGN & POST 1.0' NORTH, FENCES WEST & SOUTH, 1.5 So. to C.P. RP's DISC WITH # 20068

DISC IN 12" BOXELDER SE 14.99'
DISC IN 6" IRONWOOD NE 10.04'
DISC IN 6" IRONWOOD WSW 16.67'
DISC IN 4" IRONWOOD SSW 12.33'