1 11-20-72 set limestone corn, glass bottle, line post west over 1/10

#731604 (1)

1/4 corner 16 - 21 Haverhill 107-13.

4-1858 Hunter P 54 No 78 L 21.

used corner - 2 org B trees

N 42 1/2° W .85 - L 45° E 1.58

-16 east corner at M & L 19.84

-16 west " " " 19.75

5-1894. H Fraser P 549 No 507 L 17 R Robinson.

in setting L E corner 17. mean from John Mahon.

L 1/4 17 to L 1/4 16. and set L E 17 by govt records.

- mean L 1/4 16 to L E 17 39.85 3/4. (2630.6

" L E 17 to L 1/4 17 39.92 3/4. (2635.2 over -

S 1/4/16 as found a stake marked lying on ground. found remains of stake in ground. drove stake back where it belonged and set boulder by its side.
- the mean 4 mile short 21 links of govt record.

6-1896 Hunter P602 No 547 Dec 21 John Daly.
found orig stake and stone as recit P 549.
B trees all gone.
-16 west set stone 2x10x24 M&L 19.93 (1315.4

1965 hunted some for above 1/16 corner as had to run N-S 1/16 line. No probbe didnt dig much. accepted cor past for work 3/8 mile south.

See Card (2)

Card # 2 1/4 16-21 Haverhill 107-13. (2)
#731604
10-20-72. found orig 1/16 stone. 2x10x24, one foot west of
Corner posts only about 3" below sod surface. fenced
4 wires. land level and uncultivated near corner.
- set 3/4 x 30" iron pipe on east side of stone. pipe in. 00
- offset carefully at 1/16 and at 16-17-20-21 100' south.
- found 1/16 corner at 1314.0 line corrected from offset.
- cont line & meas from offset. to 2628.0 R 2630.6
- set corner correctly from offset after probing entire area
and digging to clay & rocks. all area below 2' boulders
and bedrock all flat. area has some fill wash from
south - deep woods north. set triangular limestone
3" x 13" to point x 16" + with 3/4 x 18" iron at true point west of
stone

set bones by corner and broken glass.
- corner comes 2.7' S of fence wire - tree to tree fence marked
4.4 ESE To 40 D on NE side 3" tree up 10" ±.
12.2 NE To 40 D NW side 9" burr oak.
8.4 W NW To 40 D N side 14" burr oak in E-W fence

T. Hunter unrecorded Survey June 1876 Field BK 4 p.140-141 & 176-177
used Something as N 1/4 Cor. Sec 21 - used To Set Center 21 - p.140
p.177 shows 2 different Sets of B.T.'s for 1/4 16-21
Bottom of p.177 at "L" = 1/4 16-21 = shows B.T.'s as N 45° W 96 Br 0 6"
S 48° E 151 Br 0 6"

apparent Gov'T B.T.'s as N 42 1/2° W 85 lks
S 45° E 158 lks. Br 0 6"

p.177 shows meas. west as 19.75 - 19.75

Gov't Notes W.B. 1/10 by 1853 East Rancho 16+21
#731604 (3)

40.00 Std A temp Std. post

West on true line between Std 16+21
S° 43' East

39.96 Std A Std. post

Bur Oak 6.in N45 W96 1Ks
Bur Oak 6.in S48 E151 1Ks