1 ~~5-14-69 set C/Mon. 12" [illegible] with tSon~~ (1)
5-1-79 Dug - found stone reset C.M. over elev. ft post S&W scribe
1/4 Corner Center 17 Haverhill 107-13 #731909

5-1894 Jr Fraser P549 No 507 S17 Robinson
John Mahon
set stone at true inters lines.
-16 north unmarked stake N&L 19.90
-16 south " " " 19.91 3/4

5-1969. J Kerr
Ran & meas E-W 1/4 line Section 17.
after setting E 1/4 17 N&L. 2618.3
and W 1/4 at 2631.4 south and 2618.8 south Recorded as N&L.
dug extensively with tractor & found nothing at all - over

Set C/M over a 12" piece of 1" iron with deep groove on one side with limestones on south & west sides.
- set on 1/4 line about 1' east of fence south making measure east very near W. Fraser record - land level.
- meas east 26 44 ± - meas west 26 34 ±.
- Disc in power pole SW 36.0.
- " " fence post corner 1' east of south 32.6.
- " " power pole North 31.5.

corner lies nearly in center road slightly north
See general caption W Fraser 1901 see 1/4 16 17 stone E M+L 2003½
5-2-74. Dug with the backhoe + found W Fraser's stone .75 50. + 1.6' E. of I Kerr's C.I.M.

#2

Center 17 Haverhill 107-B #731709

Reran the E-W ¼ line Sec 17 — reset the C.I.M. over an elec. Co post. Corner then fell on the North side of the stone. Reset the C.I.M.

R.P.'s

Co. H.D. disc west side post S.W. 36.14

C.H.D disc east side P.P.# 39309 N. 32.08

Punch hole top center 18" C.M.P. N.W. 37.1'

1/16 cor. EAST Center 17

Dug + Found Stone + set a Pipe on the South side of the stone. Set a 3/4" x 22" rod as the 1/16 cor.

R.P.'s Spike w. side boulder tree S. 50.1'

Co. Surv. disc on S.E side P.P.# N.E. 46.1

9/22/89 FD CIM CHECKED TIES
37.10' NW TO PUNCH HOLE TOP CENTER 18" C.M.P.
32.39' N TO CHD DISC. IN OLD PP (NOW FENCE POST)
36.08' SW TO CSD IN POST, CHD DISC NOT
USEABLY BECAUSE OF TEL RISER