#731909 (1)

1/4 corner Center 19 Haverhill 107-13

1-1878 Hunter P 328 no 322 L19 Gerringer, Newton.
took corner post of whitcomb fence as corner.
-tested by setting on corner and using fence east as guide for line and run west - came with 2" of W 1/4 19.
-tested by setting on corner and using fence south as guide for line and run north - came exactly on N 1/4 19 which was orig stake standing. (note below.

4-1872 Hunter P196 No 206 L19. O Whitcomb.
set 1/4 post by intersection of true 1/4 lines.
- meas east 40.65 - 2682.9 N 89°05' W
- meas south 39.66 2617.56 N 3°00' E early survey.

8-1871 Perry by Hauler. P187 No 198 & 18 M Hegbe
set oak stake in road. as Center 18. with reset stake
at 2 1/4 18. No value to Center 19. as corner Half

P. 328 Note that West line NW 1/4 19 exactly parallel
to east line NW 1/4 19 altho bearings shown different
W line N 25° E E line N 20° E.

Dec. 1900 W. Fraser Field book #9 p. 83-88
Used something as Cen. 19 and meas. So. To 1/4 19-30 = 39.70

5-21-84, Center 19: Could not find old traverse nail shot
here in 1977 so shot new point appx. 11' East of N-S
fence and 4' North of fence East. Then found old
nail by coord. 3.06 South and 6.41 West of new trav.
nail. The old nail approx 4 1/2' East of N-S fence and
1' North of line of fence East but in line with

#731909 (2)

Center 19, Haverhill, 107-13

5-21-84 cont.: fence 70'± North. Dug a small hole here to see if we shot an old post here in 1977. Found a tree stump which may have been old fence corner or else we just shot main line of fence North and East. (From Nose)
This corner about 70' into woods and at top of slope downhill to South. North-South fence steel posts and tree-to-tree here. Fence East on ground. We dug a hole from a point 2' West of the old traverse nail, South for 2½' and West for 5' by 2½' deep to clay and found some old wire but no old fence posts. We then dug from the new traverse nail for 11' West and 3' North (4' North at West end of hole) by 2½' to 3' deep. Found

no stake or posts here either. The line from the S 1/4 19 (CTN) to the N 1/4 19 (Ken) came 9.5 West of the new traverse nail and the line from the W 1/4 Cor 19 to the oppf E. 1/4 Cor. 19 (point 39.90 chs North of SE 19 - See 1/4 19-20 Card) would come 1.6± North of new traverse nail. Line to a point 15' East of 1/4 Cor 18-19 (See 1/4 Cor 18-19 dig) would have come 2.05 West of new nail. Could yet dig in line with fence East and ~~15~~ 7½ East of ~~[redacted]~~ N-S 1/4 line.

W. Fraser meas. From the S 1/4 19 would come 2.9 North of new nail.

