6-29-1961 set C/M over iron set in earlier survey. after extensive digging in spot of old corner. (1)
section corner. 20-21-28-29 Haverhill 10 7-13.
4-1857 & 5-1876 Hunter P23 No 36 & 28. #732105
used corner.
-16 south. M & L 19.89 (evidently set stone as corner)
1312.74

6-1896 Hunter P602 No 547 & 21 John Daly.
Corner not found until mens from stone south 19.89
P23 and mens from & 1/4 21 39.90 1/2. then found 1312.74
stake with remains of old fence post heads ct. 2633.73 1/2
set new burr oak stake with 2 x 1/15 x 24 stone on W.
side of stake & took B.t. 8" burr oak blazed -one-
at root & 35° W 28 1/2 lks. also blazed tree high.

16 east set stone 4x9x14 M & L. 19.95 ½ } M & L.
3-1900 W Fraser P 661 no 588 d 20 found stone - set iron West 19.98
1909 Ch Armstrong P 120 B d 21 John Daly.
found limestone as corner as recorded P 602.
-16 North set limestone 6x12x16 M & L 19.87½ (1311.75
7-1923 C.H.D. Book # 31 Page 21 Stone used by County

6-1961 J Kerr dug extensively over most of entire road surface. found no stone, stake or post. found deep depression in clay filled with darker soil in line fence east (no fence west) anered by Scanlon as where corner was to best of his knowledge.
- set C/M over iron rod.
Lp tel pole NW 23.0
20 D 30" tree east in fence 33.7

corner lies nearly in center N-S road as is and in line fence east

Govt Notes W.B. 1/4 by 1853 #732105 (2)

80.00 Sta N Stnd. cor post to Sec 20, 21, 28 & 29 deposited - charcoal mound trench and pits planted Osage Orange Stnd North West and South East of trench

April, 1858 T Hunter Pg. 54 No. 78 Shows Meas. No. th 3969 chs.

May, 1859 T Hunter Pg 60 No. 86 Shows Sec Cor.
Meas. North 39.92 chs. to 1/4 Post
1/16 west 20.02 chs. m&L to 1/4 Post.
1/16 South 20.03 chs. m&L to 1/4 Post.