X 11-1-72. set 3/8"x 4' rod by stone found.-
5-16-1974 Set CIM over 1" rod - M&L - Dist 0.32' E. of stone (1)

¼ corner 20 - 21 Haverhill 107-13.
#732106

4-1858 Hunter P54 No 78 &21
used corner.
-16 east set corner at M&L 19.72. 1301.52
-16 center &W¼ - meas north 19.83 1305.78 - east 19.72
- meas south. 39.69 (2619.5' 1301.52

6-1896 Hunter P602 No 547 &21 John R Daly.
Corner gone, B trees gone, land cultivated, run N-S section line direct Meas 79.69. -(52 59.54 total was not necessary to subdivide so set no corner

3-1900 21 Fraser P661 No 588 &20 M Fitzgerald.
John Bourk (?)
— over —

drone iron stake M & L 39.80 (2626.8'

—16 North drone iron stake M & L 1999 10-31-72
1313.4 in wash gone

—16 center NE ¼ 20 drone iron stake intersection.
the N-S ½ line run full mile for intersection line.

---

~~1965~~ J Kerr. B73 P32 6-1958.

run N-S section line set ½" rod M & L. 2626.8
did not look for or know about rods at corner or ½ north.
line north from ¼ corner on big offset east to avoid
rough gully + brush.

— rod bar under N-S fence. fairly well, no E-W fence.

— ran E-W ¼ line on ⑤ S5.33N set rod at 2608. in center
rod on corrected line to hold ¼ line — line fell 13.5' north at W ¼ 20
where corner post accepted (rod set by post.)

Retrist 1858 T. Hunter Bk. 55 No. 79 Shows ¼ Post in survey NE ¼ 20
Meas. West 40.00 chs. to Cor Sec. 20

Card # 2 1/4 20-21 Haverhill 107-13. #732106 (2)
1909. Chas Armstrong P 120 B. 821 John Daly.
found limestone at SW 21 and recorded iron bar
at 1/4 20-21 bowner mark on plat shows bar at
1/4 20-21 - set L stone 6x12x16 at 1/16 N & L south.
19.87 1/2 1311.75

11-1-72. Meas from C/M SW 21 north found stone at
1314.8 and found pointed boulder down 16" at 1/4 20-21
at 2626.9 very close to H Fraser records.
set elec. fence post by boulder with steel fence post
on east side of stone. May reference to large bake
SW ly

over

Cont meas north on east side fence running north.
Iron set by W Fraser now in edge of very deep gully.
Set old post stub in line fenced west to lone main
fence north and west. - some 2' of soil washed away.
Set 3/8" elec fence post thru wood post driven deep on 1/16
about 3' east of large corner post of fence west on high
land. Iron slightly south.

---

5-16-1974 Co. Surveyor
Set CIM over 1" rod - CI set 1' deep - 2' East of N-S fence
Set The Corner by Midway & Line as per W. Fraser Survey
This fell just 0.32' East of boulder stone found in 1972 -
removed boulder and set it next To fence. Set steel fe
post on N.E. side of CI.
Meas. North & South by Elec. Trav. 2626.15'

Geo Works W.B. 1/Feb/ 1853 (20-21 Hoover Hall 107-13) (3)
40.00 Set a Section Post
Bur Oak 13 in N 41/ W 32 1/2 Ks
#732106

May, 1859 T. Hunter Pg. 60 No. 36 Shows 1/4 Post
1/16 west 20.00 Chs M'L to Cen Sec. 20
Meas. South 39.92 Chs to Sec Cor.
5/24/90 FD CIM 12" DEEP IT NOW FALLS UNDER N-S FENCE WITH FIBERGLASS POST ON NORTH SIDE ALSO 3" WOOD POST WITH BIRD HOUSE ATTACHED ON WEST SIDE, SET SIGN & POST 2' SOUTH IN FENCELINE, IT FALLS ± 300 SOUTH OF HOUSE # 3472 IN HIDDEN HILLS.