8-10-73 ran corner on from south. #732505 (1)
Reset & C I M. after road graded 5-3-75
section corner. 25-26-35-36 Haverhill 107-13.
5-1872 Hunter P205 No 213 L36 Thos Lawler
found stumps NE & NW witness tree, M Brennan. J Lawler.
found remains of old stake, set stone 2x6x14.
2617.56
- Meas east 39.66 to stone set in place orig stake found.
-16 south set stake 19.80 1/2. M & L 130 & 13
parties involved will set stone themselves.

Corner now in sharp slope with cut on upper side would seem impossible for any corner to survive super fill on north east intersection. 1/4 25-26 north also in hill cut. & gone.
-1968 Meas from. 1/4 35-36 north. no 1/16 fence to check by. continued to 2640 set nail & referenced
-over-

Nail on L side oak stump L E 52.8.
Center corner past L W 35.3
as record south 19.80½ M & L or 2614.26 which
would come south of south edge road each.
1/16 south in fairly deep fill but finding 1/16 south only way
corner could be set.
1/16 fence east of corner has no record, likely could be relocation.
land 600' east of corner very steep. (a real tough corner to reset)

8-9- found 1/16 stone south with backhoe. set ½" rod.
8-10. ran and meas line electronic from C/M at ¼ 35-36.
over 1/16 north found at 1311.41. doubled meas and
dug with backhoe, found road gone to bed rock.

see Card # 2

#732505

Card # 2 25-26-35-36 Haverhill 107-13 (2)

8-10-1973 Cont- referenced point run in set marking.

40.02 ~~N E~~ gone ~~on slope~~ (nail to ground) to Conc nail SE side Tel P.

55.32 ~~S E~~ Gone to Hub ~~SW side old stump~~ 4' high

44.9 ~~S N W~~ gone to center pipe of Birch Ave street sign.

56.65 NW to Conc nail in 2" knot SW side PP 19339.

Will set monument when satisfied with corner location.

5-3-75

Reset a CIM. over a ½" x 6" iron rod in the new Co. rd. on line - double the distance from the South. at 1311.58 x 2 as the final corner - took R.P.'s

(over)

C.H. Dept. red plastic cap on S.W. side RP# 19329 N.W. 66.66

Co. Surv. disc in New cor. post S.E. 62.16

Top center telephone box S.S.E. 93.04

Punch mark in clamp on top N. end 18" C.M.P. W.N.W. 73.05

" " " " " - S. end 18" C.M.P. W.S.W. 73.15

Govt Notes W.B. 1/4 br by 1853

80.00 Std A Section cor. post to Sec't 25, 26, 35, 36

Bur Oak 20 in N 20 W 37 lks

Bur Oak 11 in N 47 E 45 lks

Bur Oak 10 in S 34 E 45

Bur Oak 10 in S 18 W 60 lks